

HERSCHEL[®]

Manufacturing Quality Ag Parts Since 1887

*BUY DIRECT FROM THE MANUFACTURER.
Thousands of Cutting Parts and Tillage Tools
Are Made At Our Factory In Iowa.*

2015 EARLY ORDER PROGRAM



**CUTTING
PARTS**



**TILLAGE
TOOLS**



**TRACTOR
PARTS**

www.HERSCHELPARTS.com • Phone: 800-247-2167

NO RISK GUARANTEE!

Any product purchased on the 2015 Early Order Program that has not been sold can be returned! All returns must be received in September 2015 with an equal or greater off setting order. No restocking fee will apply. Dealer will be responsible for return freight.

TERMINATOR SWEEPS

- Longer Point For Improved Soil Penetration
- Clipped Wings Maintain Full Cutting Width & Prolong Sweep Life
- Contoured Wings Provide Better Soil Disturbance



Individual

Size	Description	Order No.	Single Pc. Price	150+ Price
7"	Bolt-On	S85-0515		
9"	Bolt-On	S85-0516		
10"	Bolt-On	S85-0517		
7"	Hammer-Lock	S85-0537		
9"	Hammer-Lock	S85-0539		
10"	Hammer-Lock	S85-0540		



- Easy Point Of Purchase Display And Identification
- Locking Handle • Protective Barrel • Easy Transport

Barrel Quantities

Size	Description	Barrel Qty	Barrel Order No.	Price
7"	Bolt-On	200	S85-0515-200	
9"	Bolt-On	150	S85-0516-150	
7"	Hammer-Lock	200	S85-0537-200	
9"	Hammer-Lock	150	S85-0539-150	



FIELD CULTIVATOR SWEEPS 924 SERIES

Material Thickness	Stem Angle	Bolt Size	Hole Spacing
1/4"	47°	7/16"	1-3/4"



Size	Description	Order Number	Single Pc. Price	150+ Price
4"	Plain	92404		
6"	Plain	92406		
7"	Plain	92407		
8"	Plain	92408		
9"	Plain	92409		
10"	Plain	92410		
11"	Plain	92411		
12"	Plain	92412		

HAMMER-LOCK SWEEPS

Material Thickness - 1/4"



Size	Description	Order Number	Single Pc. Price	150+ Price
4"	Plain, Full	S85-0404		
7"	Plain, Full	S85-0405		
9"	Plain, Full	S85-0406		
10"	Plain, Full	S85-0407		

S85-0404



MOUNTING CLIPS FOR HAMMER-LOCK SWEEPS

Install Clip Only Once When Using Hammer-Lock Designed Sweeps.
Use #3 Plow Bolt.

Order Number	Replaces Number	Bolt Size	Hole Spacing	Price
C45-0407	LKM-6	3/8"	1-5/8" to 1-3/4" Slotted	
C45-0408	LKM-7	7/16"	1-3/4" to 2" Slotted	



C45-0407

See Page 538-541 For Application Information

Get the Adams Edge

ADAMS HARD-FACING



ADAMS RIBBED SHARES

Plain		Hardfaced	
Size	Price	Size	Price
14"		14"	
16"		16"	
18"		18"	



ADAMS SWITCH PLOW SHARES

EOP Price Plain:
EOP Price Hard Faced:




DISC BLADES

Standard concavity, JD Cone style & IHC Flat Center

- High Carbon Steel, Accurately Hardened.
- Dual Punch Centers for Inventory Reduction.
- Precision Double Bevel for Superior Penetration.
- Cross Rolled Steel Provides Even Wear On Edge And Less Breakage.
- Backed by Herschel Warranty for Quality and Workmanship.

See Our Full Line Of Disc Blades on Page 543 In Our Master Catalog.



Plain

Size	Description	Price
16"	11-Gauge	
18"	9-Gauge	
18"	7-Gauge	
20"	7-Gauge	
22"	7-Gauge	
22"	6-Gauge	
22"	1/4"	
24"	1/4"	
26"	1/4"	

Notched

Size	Description	Price
16"	11-Gauge	
18"	9-Gauge	
18"	7-Gauge	
20"	7-Gauge	
22"	7-Gauge	
22"	6-Gauge	
24"	1/4"	
26"	1/4"	



GREAT PLAINS 17" FLUTED/RIPPLED COULTER

Replaces 820-0182
Thickness: .138"
Center Hole: 3.97"
Bolt Hole: (4) .531"
Bolt Circle: 5.25"



Order No.: B45-1135



BRILLION & OTHERS 20" PLAIN/FLAT COULTER

Replaces F205112S
Thickness: 5 GA
Center Hole: 1.56" Sq.



Order No.: B45-1150



JD/KINZE 15-13/16" WAVY COULTER

Replaces A51872KZ
No. Of Waves: 12
Wave Width: 3/4"
Thickness: .185"
Center Hole: 2.015" Slotted
Bolt Hole: (6) 4.06" x .469"
Bolt Circle: 3.5"



Order No.: B45-1123



CASE-IH SINGLE DISC OPENER

Fits SDX30, SDX40 Air Seeders, 30 & 40 Precision Drills. Replaces 306001A1. 22.5" Diameter. .256" Thick.

Order No. B45-3165



FLAT SEEDER BLADE

Fits John Deere 750, 1560, 1690, 1850, 1860; No Till Drills 890, 1895, 1990. Replaces N214190 and N283804. 18" diameter, .125" thick, .472 center hole.

Order Number: B45-3049



TYE, DMI & MELROE 17-5/8" WAVY COULTER

Replaces 355-318
No. Of Waves: 12
Wave Width: 3/4"
Thickness: .168"
Center Hole: 3.640"
Bolt Hole: (4) .531"
Bolt Circle: 5.0"



Order No.: B45-1121

UNIVERSAL DOUBLE DISC ASSEMBLIES

Fits Great Plains, White 600, John Deere 7000, 7100 Planter-Seed, Kinzie Planter-Seed, New Idea Planter-Seed



Adams Style With Trash Shield

Size	Description	Order No.	Price
13.5"	Single No Hardware	20010548A	
13.5"	2/Box With Hardware	20010548	
15"	Single No Hardware	20010575A	
15"	2/Box With Hardware	20010575	

Herschel Style Without Trash Shield

Size	Description	Order No.	Price
13.5"	Single No Hardware	B45-3194A	
13.5"	2/Box With Hardware	B45-3194	
15"	Single No Hardware	B45-3195A	
15"	2/Box With Hardware	B45-3195	

SEED DISC OPENERS

Fits John Deere Planters 7000, 7100 Max Emerge, 7200, 7300 and 1700 Series.

Kinzie Planters including 3000 Series

Fits John Deere Planters 7000, 7100 Max Emerge, 7200, 7300 and 1700 Series.

Kinzie Planters except 3000 Series

MADE IN THE USA! Made From High Quality Boron Steel. Includes hub & bearing, order dust cap separately (listed below).

Replaces	Description	Order No	Price
AA53860, GA8324	Heavy Duty Seed Opener Assembly. 3.5 mm thick, 15" dia.	HAA53860	
AA55927, GA2013	Standard Seed Opener Assembly. 3 mm thick, 15" dia.	HAA55927	
	Plastic Dust Cap For Above	0475-02935	
	Metal Dust Cap For Above	0475-02960	




COTTON STALK PULLER BLADE

FITS: Bingham Brothers, Sundance, Roll-A-Cone. 27-3/8" Diameter. 1/4" Thick.



Order No. B45-2300

12 Welded Cleats



24" DISC BLADE

For M&W Earthmaster and other deep till machines. 1.5" square, 1.75" round. 5/16" thick.

Order No.: B45-2265

NEW VERTICAL TILLAGE

SAMURAI VERTICAL TILLAGE BLADES

The Samurai Edge excels on high speed vertical tillage because it uniquely sizes the residue back into the soil. Its design also stays sharp longer and positively turns with the tractor which decreases fuel consumption.

SAMURAI EDGE - 24 WAVE



Application	Concavity	Diameter	Thickness	Hole Size	# Of Bolt Holes	Bolt Hole Size	Bolt Circle	Order No.	Price
Great Plains, Yetter, Salford, White, DMI, etc.	1.75"	18"	5 mm	4"	4	.531"	5" & 5.25"	B45-4009	
CNH 330 Turbo & other CNH machines. Raised Flat Center	1.75"	20"	6 mm	1.25 S x 1.5 R				B45-4002	
John Deere, Krause, Landoll, Sunflower, etc.	1.75"	20"	5 mm	1.5 S x 1.75 R				B45-4011	
John Deere, Krause, Landoll, Sunflower, etc.	2"	22"	6 mm	1.5 S x 1.75 R				B45-4005	
Various Vertical Tillage Equipment	1.75"	20"	5 mm	1.125 S x 1.25 S				B45-4003	
Various Vertical Tillage Equipment	2"	22"	5 mm	1.125 S x 1.25 S				B45-4006	

VERTICAL TILLAGE BLADES - 24 WAVE

- Excellent Crop Residue/Soil Mixing
- Made of Boron Steel For Long Life



Application	Concavity	Diameter	Thickness	Hole Size	Bolt Order No.	Price
CNH 330 Turbo & other CNH machines. Raised Flat Center	1.75"	20"	6 mm	1.25 S x 1.5 R	B45-4001	
John Deere, Krause, Landoll, Sunflower, etc.	2"	22"	6 mm	1.5 S x 1.75 R	B45-4016	!

VERTICAL TILLAGE BLADES

- Great Soil Mixing Action
- Made of Boron Steel For Long Life

Flat Blade. 20" Diameter. 5 mm thickness.

Fits Various Vertical Tillage Equipment

RESIDUE RAZOR

- Razor Sharp Edge For Easy Penetration And Residue Sizing.
- Shallow Concavity To Increase Penetration & Minimal Soil Disturbance.
- Made of Boron Steel For Long Life

Fits Landoll and Great Plains. 22" Diameter. 5 mm thick.



Hole Size	Order No.	Price
1.5 S x 1.75 R	B45-4014	

# Of Waves	Hole Size	Order No.	Price
8	1.5 S x 1.75 R	B45-4020	
8	1.5 R	B45-4021	
13	1.5 S x 1.75 R	B45-4022	
13	1.5 R	B45-4023	
13	1.125 S x 1.25 S	B45-4020	



UNIVERSAL COVERING CHAIN

Heavy gauge steel. Welded 3-Ring Construction.

Order No: C30-0050



An Easy Way To Protect Equipment!



PROTECTIVE PLOW COAT
Protects equipment from rusting.

Order Number: A 972509

BEARING

Water pump type, short shank w/groove. Replaces: AN131668, 446612M1, 369851 & 885154B.

Fits: JD, MF & Noble, Great Plains, Lilliston/Melroe, Tye, & United Farm Tool Grain Drills

Order Number: B15-0901



FURROWERS - 600 SERIES

1/4" Thick. 2-1/4" Hole Spacing.

Size	Description	Order Number	Price
6"	Plain	608	
8"	Plain	610A	
10"	Plain	612	
12"	Plain	615	



CHROME CARBIDE INSERT CHISEL POINT

Material Thickness: 3/4"
Length: 13-1/2" • Width: 2"
Hole Spacing: 2-1/4" - 2-1/2"



Bolt Size	Order Number
1/2"	HA13S

CHISEL POINTS

CB Series • Chromium Carbide Tip

Material Thickness	Length	Width
3/4"	13"	2"



Will wear up to 10 times longer than plain points. Insert design directs soil flow away from bolt heads.

Hole Spacing	Bolt Size	Order Number	Price
2-1/4" - 2-1/2"	1/2"	CB75	
2-1/4"	7/16"	CB70	



RIPPER POINT - JOHN DEERE


Replaces AA31215



Order Number	Thickness	Width	Description	Cap	Price
SS04H	3/4"	2-1/4"	Capped	08CC	
SS04HW	1"	7"	Capped	95CC	

ROTARY HOE WHEELS

21" Diameter Wheel With Sealed Bearings



Order Number	Replaces Number	Color	Application	Price
W29-0303	AN142664 3400-111G	Green	JD Cultivator 75, 85 & RM, 400 Series, 415, 430 Yetter	
W29-0301	875-001-133 27-1830114 196-9217-C1 3400-111B	Black	Hiniker M&W Case-IH Yetter	

ANHYDROUS FERTILIZER (NH3) KINIVES

GROUND HOG KNIFE FRONT SWEEP SIDE MOUNT WITH ADALLOY CHROMIUM CARBIDE INSERT

- 1-7/8" Wide Foot Piece • 3/8" Tube w/63CC Tube Protector
- 33C Insert w/Sharp Leading Edge • Wears Sharp and Stays Sharp
- Foot Piece and Insert Work Together to Create a Tunnel or Expansion Chamber for the NH3.

Material Thickness: 1/2" x 2-1/2" x 15-1/8"
Hole Spacing: 1-1/4" to 2-3/4" • Bolt Size: 1/2"



Order No: AK33-1

BACK SWEEP, SIDE MOUNT KNIFE WITH ADALLOY CHROMIUM CARBIDE INSERT

AK42 series knives are ideal for side dress, maximum till or no till applications. Back sweep designs penetrate better and seal well in all soil conditions.

Material Thickness: 1/2" x 2" x 14-3/8"
Hole Spacing: 1-1/2" to 3" • Bolt Size: 1/2"



Order No: AK42-1

FRONT SWEEP, SIDE MOUNT KNIFE WITH ADALLOY #62 CHROMIUM CARBIDE INSERT

AK62 series knives have the Adalloy #62 insert which extends 6-1/2" up the front. It "shatters" hard soil and wears sharp. Adalloy tube protector extends 4-1/2" up the back.

Material Thickness: 1/2" x 2" x 14"
Hole Spacing: 1-1/4" to 2-3/4" • Bolt Size: 1/2"



Order No: AK62-1

CHISEL PLOW KNIFE WITH ADALLOY #62 CHROMIUM CARBIDE INSERT

Note: For 7/16" punched shanks, use "reducer head" plow bolts. AK72 series knives are one of the longest wearing chisel knives in the industry due to the super long wearing Adalloy insert which protects virtually the entire wear face. Also has Adalloy tube protector on the entire back edge of the knife.

Material Thickness: 5/8" x 2" x 14"
Hole Spacing: 2-1/4" to 2-1/2" • Bolt Size: 1/2"



Order No: AK72-1

FIELD CULTIVATOR KNIFE WITH ADALLOY CHROMIUM CARBIDE INSERT

Note: For 3/8" Punched Shanks, Use "Reducer Head" Plow Bolts. AK82 Series Knives Apply Nitrogen 3" to 4" Deeper Than Sweeps And Seal Well In All Soils. Adalloy Insert Extends Life 3-5 Times Over Hardfaced Knives.

Material Thickness: 7/16" x 1-3/4" x 12-1/2"
Hole Spacing: 1-3/4" to 1-7/8" • Bolt Size: 7/16"



Order No: AK82-1

FRONT SWEEP, SIDE MOUNT KNIVES WITH ADALLOY #92 CHROMIUM CARBIDE INSERT

AK92 series knives have the Adalloy #62 insert which extends 6-1/2" up the front. Dual tubes also available for liquid or gas.

Material Thickness: 1/2" x 2-1/2" x 15"
Hole Spacing: 1-1/4" to 2-3/4" • Bolt Size: 1/2"




Order No: AK92-1

JOHN DEERE SWITCH PLOW PARTS

Fits 965 and 3825 Switch Plows.

Description	OEM#	Order No.	Price
Landside. 8"x11.5"x .5"	P57522	A57522	
Landside. 6.5"x4"x.5"	P57046	A57046	
Landside. 8"x8.5"x.5"	P57052	A57052	
Moldboard	P57264	A57264	
Plowshare. 24"	P57043, P57270	JD244RS	
RH Shin	P57266	A57266	
LH Shin	P57265	A57265	



A57522

10" REPLACEMENT CASE-IH/DMI TIGER POINT

- Reinforced, hardfaced wings.
- Wrap-around chrome alloy capped point.



Fits: Turbo Tiger®, Tiger Two®, Turbo Tiger II®, Ecolo-Tiger®, 530, 530B, 730, 730B, 9300 with 1-1/2" Shank

Order No. HA09907000

DANISH SWEEPS

Size	Description	Order No.	Single Pc. Price	300+ Price
1/4" X 1-1/2"	Reversible Point	S32-0001*		
1/4" X 2-3/4"	Duckfoot	S32-0016		
1/4" X 4"	Duckfoot	S32-0017		
1/4" X 4"	V-Design	S32-0018		
1/4" X 7"	Sweep	S32-0019		



S32-0001



S32-0016

S32-0017



S32-0018

Barrel Quantities

Size	Description	Barrel Qty.	Barrel Order No.	Price
1/4" X 1-1/2"	Reversible Point	300	S32-0001-300*	
1/4" X 2-3/4"	Duckfoot	300	S32-0016-300	
1/4" X 4"	Duckfoot	300	S32-0017-300	
1/4" X 4"	V-Design	300	S32-0018-300	
1/4" X 7"	Sweep	200	S32-0019-200	

*Imported

DANISH S-TINES

For all S-Tine Danish Cultivators. Made in Italy.

Size	Description	Order Number	Price
3/8" X 22"	Standard	T16-0001	
1/2" X 22"	Heavy Duty	T16-0003	



T16-0001



MADE IN THE USA



SPRINGTOOTH POINTS ST SERIES - 11"

Fits field & row crop cultivators and spring tooth harrows.

Thickness	Width	Bolt Size	Hole Spacing	Order Number	Price
Plain					
1/4"	2"	3/8"	1-1/4" - 2-1/4"	ST11	
1/4"	2"	7/16"	1-1/4" - 2-1/4"	ST12	
1/4"	1-7/8" - 2-9/16"	3/8"	2"	ST14	
Plain, Heavy, Swedged Nose					
3/8"	2"	3/8"	1-1/4" -- 2"	ST20	
3/8"	2"	7/16"	1-1/4" -- 2"	ST21	

CHISEL POINTS REVERSIBLE, TWISTED, 1-PIECE

Fits All High Clearance Chisel Plows



MADE IN THE USA

Description	Bolt Size	Hole Spacing	Order Number	Single Pc. Price	150+ Price
Plain, Left	7/16"	2-1/4"	TC12L		
Plain, Right	7/16"	2-1/4"	TC12R		
Plain, Left	1/2"	2-1/4"-2-1/2"	TC125L		
Plain, Right	1/2"	2-1/4"-2-1/2"	TC125R		

Material	Thickness	Length	Width
	1/2"	22"	3"

CAST DRILL POINTS - A SERIES

- Adalloy Chromium Carbide Point.
- Improved Ground Penetration.
- Exceptional Wear.



Price

Order

Number	Application	Price
11CC	IHC Eagle Beak. 7400, 8500, etc.	
73CC	John Deere Only. 9300 or Earlier	
75CC	John Deere 9400	
98CC	John Deere, Crustbuster, AcraPlant, Great Plains, Mighty Handy	
99CC	John Deere, Crustbuster, AcraPlant, Great Plains, Mighty Handy, w/V Groove	

SLASH POINTS TWISTED CHISEL, 1 PIECE

For Most Minimum Till Coulters Chisels

Material Thickness	Length	Hole Spacing	Bolt Size
1/2"	24"	2-1/4"	1/2"



SOS01

Order Number	Width	Description	Price
SOS01	4"	Plain, Right	
SOS02	4"	Plain, Left	

CHISEL POINTS

For Springtooth harrows, field cultivators and row crop cultivators.



Thick	Width	Length	Hole Center	Plow Bolt Size	Replaces	Order Number	Price
1/4"	1-3/4"	9-1/16"	Single Hole	3/8"	JD CP67FA	P57-0063	
5/16"	2"	9-1/2"	1-3/4"	7/16"	Ammonia Point, IHC	P57-0072	
5/16"	2"	10-1/2"	1-1/4"-2-1/4"	7/16"	594227R1, Non-Reversible	P57-0202	
1/4"	1-3/4"	11"	1" - 2"	3/8"	200U716	P57-0963	

DISC BEARINGS




See Our Full Line Of Disc Bearings on Pages 564-567 In Our Master Catalog.

BCA Number	Bore Size	Outer Diam.	Outer Race Width	Inner Race Width	Order Number	Price
DS208TTR8	1-1/8" SQ	3.150"	1.188	1.438	B15-3186	
DS210TTR4	1-1/8" SQ	3.5433"	1.188	1.188	B15-3144	
DS209TT5	1-1/4" SQ	3.347"	1.188	1.438	B15-3185	
DS209TT4	1-1/2" RD	3.3465"	1.188	1.188	B15-3120	
DS209TTR4	1-1/2" RD	3.3465"	1.188	1.188	B15-3124	

M&W EARTHMASTER 60 & 65 SERIES SUBSOILER/RIPPER POINT

3/4" Thick. 2-1/3" Wide. 12" Long.

Description	Order No.	Price
Plain	HA2438357	
Hardfaced	HA2438357H	



ROLL PINS FOR M&W EARTHMASTER

Replaces 2432533. Oversize, splined. 1/2" x 2-1/2."

Order No. P34-0003



JOHN DEERE PLANTER PARTS



GAUGE WHEEL ARM KIT
Fits 7000 thru early 1700, 1710, 1720 plus. Kit includes 2 threaded bushings, arm and hardware. Replaces AA41968.


Order No. HAA41968	Price
------------------------------	--------------

Bolt & Washer ONLY **Bushing(Self-Aligning) ONLY**
H41968BW H41968B




8" COVERING DISC FOR JOHN DEERE
Fits 7200, 7300 series. Original style. Includes bearing, rivets disc openers, seed blade, bearing, retainer and bolt. Replaces AA33061 and AA58321.

Order No. H58321	Price
----------------------------	--------------



SEED TUBE
Fits John Deere 1720 SP Series. Large hole size tie straps. Replaces AA67780.

Order No. HAA67780	Price
------------------------------	--------------



SEED TUBE
Fits John Deere 1700 series planters. Regular curve with large monitor hole. Replaces A74934.

Order No. HA56784	Price
-----------------------------	--------------




SEED TUBE
Fits John Deere 7200, 7330, 7340 series planter. Small monitor hole. Replaces A55880.

Order No. HA55880	Price
-----------------------------	--------------




SCRAPER PIN
Fits John Deere 1760, 1780, 7200, 7300 Planters. Replaces A64447.

Order No. HA64447	Price
-----------------------------	--------------




SCRAPER ASSEMBLY
Fits John Deere 7000, 7100 Max Emerge; 7200, 7300 and 1700 Planter with MaxEmerge 2 and MaxEmerge Plus Row Units; Kinze. Replaces AA26444 and GA2012L.

Description	Order No.	Price
Left Hand	HAA26444L	
Right Hand	HAA26443R	



GAUGE WHEEL ARM KIT
Fits 1720 XP Series. Includes threaded bushing and mounting hardware. Replaces A79648.

Order No. HA79648	Price
-----------------------------	--------------




CHAIN SPROCKET
Fits 1700 Series Planters and attachments. Finger pickup and vacuum meter drive. Plateless herbicide and insecticide drive. Replaces A55008.

Order No. HA55008	Price
-----------------------------	--------------



SCRAPER ARM
Fits Rotating Scrapers and Tungsten Carbide Scrapers. Replaces A69140.

Description	Order No.	Price
Right Hand	HA69140	
Left Hand	HA69139	



ROTATING SCRAPER WHEEL
Fits John Deere 7000, 7100, 7300, 7340, MaxEmerge 2, Pro, Plus, XP and XP Pro.; White Planters 5100, 5700, 6000 and 8000. Replaces AH133315.

Order No. HAH133315	Price
-------------------------------	--------------



SCRAPER KIT
Fits John Deere 1530, 1535, 1700, 1720, 1730, 1760, 1789, 1790, 7100, 7200, 7300, 7340. Kit includes 1 LH and 1 RH Scraper, 1 spring and 2 hairclips. Replaces AA62808.


Order No. HAA62808	Price
------------------------------	--------------



ROTATING SCRAPER KIT
Fits John Deere 1530, 1535, 1700, 1720, 1730, 1760, 1789, 1790, 7100, 7200, 7300, 7340. Kit includes 1 LH (nylon covered), 1 RH Scraper Arm, 1 Spring, 2 Cotter Pins. Replaces BA28945.

Order No. HAA37221K	Price
-------------------------------	--------------

Rotating Scraper Wheel ONLY
HAA37221



SEED GUARD
Fits John Deere 1760, 1780 (before 2/97); 7000, 7100, 7200. Replaces A41692.

Order No. HA41692	Price
-----------------------------	--------------



SEED GUARD
Fits John Deere 1700 Series Planters and Attachments. For use with curved seed tube, bracket welded to seed guard. Replaces P61577.

Order No. HA61577	Price
-----------------------------	--------------



BUSHING
For Parallel arms on John Deere 7000 - 7100; Kinzie 2000 Series. Replaces A23789 and GB0218.

Order No. HA23789	Price
-----------------------------	--------------



BUSHING
For closing wheel arm. 2 Required. Fits MaxEmerge Plus, Pro, XP Pro, 1530 and 1535. Replaces A55888.

Order No. HA55888	Price
-----------------------------	--------------



CAM BUSHING - LEFT HAND
For closing wheel arm. Fits 7300 Series MaxEmerge 2 Planters. Replaces A48290.

Description	Replaces	Order No.	Price
Left Hand	A48290	HA48290	
Right Hand	A48430	HA48430	




BUSHING
Fits John Deere 1700, 1760, 1780, 7200, 7300, MaxEmerge 2, 120XP, Plus, Pro. Replaces A48515.

Order No. HA48515	Price
-----------------------------	--------------




BUSHING
For closing wheel arm. Replaces H2204B.

Order No. HA2204	Price
----------------------------	--------------




SPRING
Fits Rotating Scrapers and Tungsten Carbide Scrapers. Replaces A50047.

Order No. HA50047	Price
-----------------------------	--------------



SPRING
Down pressure spring with plug. Fits John Deere 7000, 7100 series Planters; Kinzie. Replaces AB10071 and GA2052.

Order No. HAB10071	Price
------------------------------	--------------



SPRING
Closing Wheel spring with plug. Fits John Deere 7000, 7100 series Planters; Kinzie. Replaces A23116 and GA2054.

Order No. HA23116	Price
-----------------------------	--------------



TIGER SHARK

Shredding The Competition



The first drastically new section tooth design in decades!

- Serrated Teeth Allows More Cutting Surface.
- Stays Sharper Longer
- Lasts Longer
- Cuts Faster
- Cuts Equally Well In Soybeans, Alfalfa, Grass Hay, Wheat, Etc.



"I cut over 1,000 acres of soybeans with the same Herschel Tiger Shark™ sections. They stayed sharper longer and lasted longer than any section I have used."

- Roger Woodruff, Warren Co. Iowa

"The best improvement I've seen in years. The Herschel Tiger Shark™ section stays sharper than any other section that I have used"

- Bob Hunget, Warren Co. Iowa

NEW TIGER SHARK™ SPLICED COMBINE SICKLES

*Ships Via UPS

Model	Size	Super 7®		Tiger Shark™	
		Order No.	Price	Order No.	Price
John Deere 600 Series Flex & Rigid Headers	20'	S35-4609		S35-8620	
	25'	S35-4610		S35-8625	
	30'	S35-4611		S35-8630	
	35'	S35-4612		S35-8635	
	40'	S35-4631		S35-8640	
John Deere 200 & 900 Series Flex Header; Combines with Quick-Tach Rigid Header	20'	S35-2739		S35-8920	
	22'	S35-2740		S35-8922	
	25'	S35-2742		S35-8925	
	30'	S35-2743		S35-8930	
Case-IH 1010, 1020 Header with 3" Cut	20'	S35-1052		S35-2786	
	22.5'	S35-1051		S35-2787	

MACDON SPLICED COMBINE SICKLES

*Ships Via UPS

Model	Size	Drive	14-Tooth		Tiger Shark™		
			Order No.	Price	Order No.	Price	
962/963	30	Single	S35-2181		S35-2879		
	36	Single	S35-2182		S35-2880		
972	21	Single	S35-2183		S35-2881		
	25	Single	S35-2184		S35-2882		
	30	Single	S35-2181		S35-2879		
	36	Single	S35-2182		S35-2880		
	21	Double	S35-2185		S35-2883		
	25	Double	S35-2186		S35-2884		
	30	Double	S35-2187		S35-2885		
	36	Double	S35-2188		S35-2886		
	D50,D60,D65,FD70	20	Single	S35-2189		S35-2887	
		25	Single	S35-2184		S35-2882	
D50,D60,D65,FD70, FD75	30	Single	S35-2181		S35-2879		
	35	Single	S35-2190		S35-2888		
	40	Single	S35-2191		S35-2893		
D50,D60,D65,FD70	20	Double	S35-2192		S35-2894		
	25	Double	S35-2193		S35-2895		
D50,D60,D65,FD70, FD75	30	Double	S35-2194		S35-2896		
	35	Double	S35-2195		S35-2897		
	40	Double	S35-2196		S35-2898		
	45	Double	S35-2197		S35-2899		

All sickles are made bolted and headless with extra heavy chrome sections. All segments are less than 108" to ship UPS.

TIGER SHARK™ HAY SICKLES

Models	Replaces	Length	Includes Head	Section Type	Order No.	Price
CASE Mower/Cond. 990	540605R91, 540605R92	9'	Yes	Tiger Shark™	S35-3133	
CASE Mower/Cond. 1190	101988C95	9'	Yes	Tiger Shark™	S35-2514	
CASE Mower/Cond. 8380, 8840, 8870 w/625 Auger Head	700114590	7' LH	Yes	Tiger Shark™	S35-2517	
HESSTON 8400, 8600, 1170 Mower/Conditioner	700114591	7' RH	Yes	Tiger Shark™	S35-2519	
CASE IH Series 100 Balanced Head, 1000 Series, 1100, 1300 Mowers	462381R93	7'	Yes	Tiger Shark™	S35-2500	
NEW IDEA 521, 522, ROWSE Older Mowers	462380R91					
CASE IH Series 100 Balanced Head, 1100, 1300 Mowers	463159R93, 128191C2,	9'	Yes	Tiger Shark™	S35-2512	
NEW IDEA 521, 522, ROWSE Mowers	463159R93, 540605R92, SS1281921C92					
CASE IH All Models Except Balanced Head Series "100"	1958205C1	7'	Yes	Tiger Shark™	S35-1131	
OLIVER 57, 82, 84, 344, 355, 356, 415	1958207C1					
CASE IH Mower/Cond 8380, 8840, 8870 with 625 Auger Head, SC414DLX, SC416DLX	SS700114592	8' LH	Yes	Tiger Shark™	S35-2528	
HESSTON 8020, 8400, 8450, 8600 with 625 Auger Head	SS700114593	8' RH	Yes	Tiger Shark™	S35-2532	
JOHN DEERE Windrowers 4890 Double Drive, 4895, 4995	AE1795, AE57039	8' LH	Yes	Tiger Shark™	S35-2337	
Self-Propelled Using 890, 895, 986 Auger Platforms	AE51796, AE57040	8' RH	Yes	Tiger Shark™	S35-2339	
JOHN DEERE Windrowers 1207, 1209 s/n 285000-Later, 1217, 1219	AE34769, AE41758, AE48664	9'	Yes	Tiger Shark™	S35-2526	
JOHN DEERE Windrowers 580, 590 Pull Type, 2360 Using 1600 Draper Header	SSAW20652, SSAW25030, SSCXM43074, SSCXM49667	21'	Yes	Tiger Shark™	S35-2553	
MACDON 7000 Draper						
NEW HOLLAND Mower/Cond. 474, 489, 492 and 1465	SS86529232	9'	Yes	Tiger Shark™	S35-2561	
NEW HOLLAND Windrower 1475, 2200, 2300, 2450, 2550, HS Series Header 12HS, 14HS, 16HS	86502118	7' LH	Yes	Tiger Shark™	S35-2533	
	86502119	7' RH	Yes	Tiger Shark™	S35-2534	
	86502116	8' LH	Yes	Tiger Shark™	S35-2550	
	86502117	8' LH	Yes	Tiger Shark™	S35-2551	
NEW HOLLAND 451, 456 & Rowse Current Mowers w/Double Guards	5228435	7'	Yes	Tiger Shark™	S35-2558	
NEW HOLLAND 479, 788, 1469 MC (sn 220947 or later)	648840, 9623570	9'	Yes	Tiger Shark™	S35-2560	
NEW HOLLAND Mowers 451, 456, ROWSE Current Mowers w/double guards	858745, 228434	9'	Yes	Tiger Shark™	S35-2552	
NEW HOLLAND Windrower 1100 High Performance Header 1112, 1114, 1116, 1118, 116	247987	7' LH	Yes	Tiger Shark™	S35-2521	
	247988	7'RH	Yes	Tiger Shark™	S35-2523	

SECTIONS

CASE-IH

Description	Application	OEM#	Order No	Price
XHSRKCR	MOWERS & CONDITIONERS	CAN BE USED TO REPLACE OEM NUMBERS LISTED BELOW	S20-8268	
XHTS	820, 1010, 1020, 2010, 2020 HEADERS	826720C2, 9622744, 86615988	S20-3276	
XH7TS		112074A1, 86616588, 86616691	S20-3325	
XH7TSCR		191256A1, 86616689	S20-4268	
XHTSCR		700705300, 86616527	S20-4277	
XH7TS	SAME AS ABOVE W/ 3 HOLES IN HEEL	826720C2, 112074A1	S20-3482	
XHSRKCR	1042, 1052, 2040, 2052, 2062, 2142,	CAN BE USED TO REPLACE OEM NUMBERS LISTED BELOW	S20-8398	
XH7TSCR	2152, 2162 HEADERS	87422066	S20-4398	
XHTS		1327448C1, 84342590	S20-3283	
XHTSCR		1327448C1, 84342590	S20-4170	

HESSTON

Description	Application	OEM#	Order No	Price
XHSRKCR	WINDROWERS &	CAN BE USED TO REPLACE OEM NUMBERS LISTED BELOW	S20-8268	
XHTSCR	MOWER CONDITIONERS	700705300	S20-4277	
XH7TSCR		700705300	S20-4268	
XH7TS		700705299	S20-3325	

JOHN DEERE

Description	Application	OEM#	Order No	Price
XHSRKCR	600 RIGID & FLEX,	CAN BE USED TO REPLACE OEM NUMBERS LISTED BELOW	S20-8531	
XH7TSCR	900 DRAPER HEADERS	H163131	S20-4531	
XHTSCR		H153329	S20-4532	
XHSRKCR	200 & 900 SERIES HEADERS	CAN BE USED TO REPLACE OEM NUMBERS LISTED BELOW	S20-8452	
XH7TSCR		H168316, H207930	S20-4452	
XHTSCR		H136807, H207929	S20-4451	
XHSRKCR	MOWERS, CONDITIONERS	CAN BE USED TO REPLACE OEM NUMBERS LISTED BELOW	S20-8286	
H7TSCR	& WINDROWERS	E45996, E76370, E90571	S20-4286	
HTSCR		E45996, E76370, E90571	S20-4777	
HTS		E45996, E76370, E90571	S20-3996	
H7TS		E45996, E76370, E90571	S20-3407	
XHSRKCR	140, 160, 580 & 590 WINDROWERS.	CAN BE USED TO REPLACE OEM NUMBERS LISTED BELOW	S20-8398	
XH7TSCR	MOWER CONDITIONERS 1212,	W36402CR, W35888CR	S20-4398	
XHTSCR	1214, 1216	W36402CR, W35888CR	S20-4170	
XHTS		W36402, W35888	S20-3283	

MACDON

Description	Application	OEM#	Order No	Price
XHSRKCR	MOWERS & CONDITIONERS.	CAN BE USED TO REPLACE OEM NUMBERS LISTED BELOW	S20-8398	
XH7TSCR	960, 962, 963, 972, 973, 974, D50,	102053, 158516	S20-4398	
XHTS	D60, FD70, FD75 HEADERS	34390	S20-3283	
XHTSCR		34390CR	S20-4170	

NEW HOLLAND

Description	Application	OEM#	Order No	Price
XHSRKCR	MOWERS & CONDITIONERS	CAN BE USED TO REPLACE OEM NUMBERS LISTED BELOW	S20-8268	
XHTS		9622744, 826720C3, 86615988	S20-3276	
XH7TS		9622744, 112074A1	S20-3325	
XH7TSCR		596321R4, 86616689	S20-4268	
XHTSCR		700705300, 86616527	S20-4277	
XHSRKCR	82C, 83C, 84C, 86C HEADERS	CAN BE USED TO REPLACE OEM NUMBERS LISTED BELOW	S20-8398	
XH7TSCR		87422066CR	S20-4398	
XHTS		1327448C1	S20-3283	
XHTSCR		1327448C1CR	S20-4170	

SCHUMACHER

Description	Application	OEM#	Order No	Price
HSRKCR	SCHUMACHER EASY CUT SYSTEM	CAN BE USED TO REPLACE OEM NUMBERS LISTED BELOW	S20-8498	
H7TSCR		420-100-058, 26208CR	S20-4498	
H7TS		420-100-058	S20-3513	

SECTION REFERENCE

- XH = .116"
- H = .100" OR .109"
- R = .083"
- SM = SMOOTH
- US = UNDER SERRATED
- TS = TOP SERRATED
- 7 TS = SUPER 7
- CR = CHROME
- SRK = SHARK TOOTH



Convenient Packaging With Applications Listed On The Back.



STEEL GRASS BOARD

The "Clean Sweep" grass board steel rods are adjustable according to the cutting conditions. Will not dip into the ground on turns nor while backing up. For Mowers.

Order No. B52-0615



UNIVERSAL END SECTIONS

Sold In Boxes Of 10

Replaces	Description	Order No.	Price
3TS-7-SP	H7TSCR (RH)	S20-4403	
3TS-SP	HTSCR (RH)	S20-4210	
2US	HUSCR (RH)	S20-6640	



UNIVERSAL SECTION BOLTS



Order Number	Description	Application/Replaces	Pkg. Qty.	Price
B55-0065D	Section Bolt w/nut	9/16" & 5/8" OH Rivets	50	
B55-0085D	Head Bolt w/nut	1" & 1 1/16" OH Rivets	15	
B55-0095D	Head Bolt w/nut	1 1/4" OH Rivets	12	

SICKLES

* SICKLE COMES LESS HEAD



Make/Model	Replaces	Length	Section Type	Order Number	Price
Case/IH Series 100 Balanced Head, 1100, 1300 Mowers Pin Type	463159R93	9'	XH US Bolted	S35-1714	
Ford 505, 538 series (S35-1714 only)	1281291C92	9'	XH TS Riveted	S35-3940	
	SS1281291C92	9'	XH 7 TS Riveted	S35-3012	
	463159R93	9'	XH US Riveted	S35-3669	
Case/IH All Models Except Balanced Head Series "100"	1958203C1, MB409	7'	XH SM Riveted	S35-3543	
Oliver 57, 82, 84, 344, 355, 356, 415	501014ESXH				
Case/IH Mower/Cond. 8380, 8840, 8870 w/625 auger head	SS700114590	7' LH	XH 7 TS CR Bolted	S35-2001	
Hesston 8020, 8450 w/625 Auger Header 8400, 8600, 1170 M/C, 1270, 1275	SS700114591	7' RH	XH 7 TS CR Bolted	S35-2002	
	SS700709581	7' LH	XH 7 TS CR Bolted	S35-2003*	
	SS700709582	7' RH	XH 7 TS CR Bolted	S35-2004*	
	SS700114592	8' LH	XH 7 TS CR Bolted	S35-2014	
	SS700114593	8' RH	XH 7 TS CR Bolted	S35-2015	
Kosch All Mowers	KA192	7'	XH US Riveted	S35-3329	
Massey Ferguson	SS34312CR	7'RH	XH 7 TS CR Bolted	S35-2241*	
Windrowers 885 w/Auger Head Double Drive	SS34211CR	7' LH	XH 7 TS CR Bolted	S35-2240*	
	SS34313CR	8' RH	XH 7 TS CR Bolted	S35-2243*	
Mac Don 7000 & 9000 w/910, 920, 922, 930 Auger Header	SS34212CR	8' LH	XH 7 TS CR Bolted	S35-2242*	
Double Drive w/std guard					
New Holland 451, 456 Mowers w/Double Guards	SS858744	7'	XH 7 TS CR Bolted	S35-2289	
Rowse Current mowers (only S35-3884, S35-1704, S35-3885)	TT228435	7'	H TT CR Bolted	S35-2566	
	SSTT228435	7'	H 7 TT CR Bolted	S35-2362	
	228435	7'	XH US Riveted	S35-3884	
	858745	9'	XH US Bolted	S35-1704	
	SS858745	9'	XH 7 TS CR Bolted	S35-2128	
	SS228434	9'	XH 7 TS Riveted	S35-3006	
	228434	9'	XH US Riveted	S35-3885	
New Holland 472, 477, 478, 479, 488, 490 s/n 259715-later, 1469 Mower Conditioner (serial no. 220948 or later)	648840	9'	XH US Riveted	S35-3865	
	858700				
New Holland Windrower 1100 High Performance	SS247988	7' RH	XH7TS CR Bolted	S35-2006	
Header 1112, 1114, 1116, 1118, 116 (14' & 16')	SS247987	7' LH	XH7TS CR Bolted	S35-2005	




UNIVERSAL SICKLES LESS HEAD - BOLTED

2-1/16" Hole Spacing
Extra Heavy Super 7 Top Serrated Sections



Fits Massey Ferguson, New Holland, New Idea, Kosch & Gehl Mowers & Mower Conditioners.

Length	Order Number	Price
7'	S35-1038	
9'	S35-1039	



\$

JOHN DEERE GATHERING BELT CHAIN (2 PER ROW)

50A Series Row Crop Header & 2 Row Forage Harvesters. Replaces AH101172.

Order No. B22-0060

WEAR PLATES




Order Number	Replaces Number	Description	Application	Price
P44-0591	W 50	5-7/8", Slotted Holes w/3" Spacing	Mowers, Swathers, Combines	
P44-0412	FLW 70	7', Full Length	Mowers	
P44-0413	FLW 90	9', Full Length	Mowers	
P44-0417	MC 468	6", Wear Plate	Mowers	
P44-0200	FLW24HT	24", w/1-1/2" Spacing, Heat Treated	Tiger Jaws	

BALER SHEAR BOLTS

10 bolts and nuts per clamshell. Grade #5.

Size	Application	Order Number	Price
1/4" x 20 x 2-1/4"	JD Baler 10, 14T s/n 32868 and up. 24, 214, 216, 224, 323W, 327, 328, 336, 337, 338, 348	B55-0550D	
5/16" x 18 x 2"	NH Baler Flywheel models 65, 67, S67, 68, S68, S69, 78, S78, 99, S99, 178, 268, 269, 270, 271, 272, 273, 275, 280, 281, 282, 285, 290, 1280, 1281, 1282, 1290	B55-0551D	
1/4" x 20 x 1-1/2"	NH Baler with Knotter drive. 67, S67, 68, S68, S69, 78, S78, 178, 270, 280, 281, 285, 286, 320, 425, 430, 500, 1280, 1281, 1425	B55-0552D	



BALER TEETH 2- PRONG

Fits Vermeer Round Balers E, F & G. Steel. Replaces 4059-001.

Order No. T16-0485

Fits Vermeer Round Balers G, H, I, J, K, L, XL, 1565, 150, 1450. Massey Ferguson 1440, 1455, 1550, 1565. Rubber, Replaces 4000-997 and 27997-001. Double prong 7".

Order No. T16-0488



GUARDS - 25 Per Box

Model	Replaces OEM	Replaces Number	Application	Order Number	Price
Allis Chalmers	70804072	DM700, Malleable	3, 4, 5, 7, 80 Mowers. 1-Prong	G81-0803	
AGCO, Challenger,	FQ207	HA207		G81-0198	
Claas	FQ208DH	HA208	Double Heat Treat	G81-0199	
Case/IH	613838R1	HA65-2	820, 1010, 1020 Platforms w/3" system. 2-Prong, forged. All except first 3 guard on LH side w/crossbar	G81-0035	
Case/IH	1326787C1 453500R3	HA85-2, HA210	820, 1010, 1020 Platforms w/3" system. 2-Prong, forged. All except first 3 guard on LH drive end	G81-0183	
Case/IH/ Hesston		HA86-2, HA250	All Mower/Cond. & Windrowers 2-Prong. All w/stub guard.	G81-0120	
Case/IH	700700845	HA66-DH, HA245H	Windrowers, M/C, 2-Prong Dbl Heat Treated	G81-0042	
Case/IH	Malleable Guard	DM700	Center Guard. 7/16" Bars On Mowers	G81-0803	
Case/IH	Malleable Guard	MC2041Z	Center Guard. All IH Mowers	G81-0830	
Case/IH	87421451	HA215M	2040, 2052, 2062, 2142, 2152, 2162 Draper Head	G81-0097	
Case/IH	1037299C2 87442324	HA299	1010, 1020, 2010, 2020 After to S/N CBJ020001 with Wear Bar & No Cross Bar	G81-0037	
Case/IH Combine	86615982	HA215	1010, 1020, 2010, 2020 Prior to S/N CBJ020000	G81-0155	
Caterpillar Combines, Class		HA207	Replaces 676235N	G81-0198	
		HA208H	Replaces 676295N. Double Heat Treat	G81-0199	
		HA209	Replaces 767265.1	G81-0200	
Caterpillar Lexion Combines, Class					
Field Queen		HA65-2	All Hay Harvesters	G81-0035	
Field Queen		HA66-2, HA245	420, 620 WR. Center Forged	G81-0192	
Ford Versatile		HA67-2, HA290	2-Prong Forged All Versatile WR	G81-0197	
Ford Versatile	141009		Center Guard. Mowers except 505.	G81-0778	
Ford Versatile	483500R3	HA85-2, HA210	2-Prong Forged. Mower/Cond. 538	G81-0183	
Ford Versatile	Malleable Guard	MC2041Z	Center. Mower 505	G81-0830	
Ford	Malleable Guard	FD800	Center. All Ford Mowers	G81-0807	
Gehl	044779	HA65-2	MA206A	G81-0035	
Gehl	049312	HA86-2	HK108, HK440, 770, 880, 1070, 1090. 2-Prong Forged. Stub	G81-0120	
Gehl	748178	HA66-2	MC2230, 2240, 2262 Swing Frame	G81-0192	
Hesston	049239, 748178	HA66-2, HA245	All Windrowers w/Tie Guard	G81-0192	
John Deere	AZ3441H,	DM700	All Mowers. 1-Prong. Malleable Guard. Center	G81-0803	
John Deere	AZ2131H	HA81DH, HA215H	580, 590. 2-Prong Double Heat Treated	G81-0098	
John Deere	H145791, H75386, H6195AH	HA62-2A, HA240A	All Combines. Double Prong Forged	G81-0191	
John Deere	E59625	HA254H	Mower Conditioner 1219, 1380, 1600, 1424, 1525	G81-0102	
John Deere	E88909, E81300	HA223H	8200 Series Mowers	G81-0223	
John Deere	H213507, H20547 & H213400	610	600 Series Flex Heads	G81-0398	
John Deere	H205448	Blunt Point	Long-Short-Long		
John Deere	H213398	615	600 Series Flex Heads	G81-0399	
John Deere	H213405	Blunt Point	Short-Long-Short		
John Deere	H213405	HA635. Long Point	600 Series Rigid & Draper Heads. 900 Series Draper Heads. Long-Short-Long	G81-0396	
John Deere	H213508	HA630. Long Point	600 Series Rigid & Draper Heads. 900 Series Draper Heads. Short-Long-Short	G81-0397	
Lexion		HA209	Combines	G81-0200	
MacDon	23064, 28013	HA81-2, HA215	960, 962, 963, 972, 973, 974, D50,D60, FD70, FD75 Heads. 2-Prong	G81-0155	
MacDon	23064, 28013	HA81-DH, HA215H	960, 962, 963, 972, 973, 974, D50,D60, FD70, FD75 Heads. 2-Prong, Double Heat Treated	G81-0098	
MacDon	23064, 28013, 118344	HA215M	960, 962, 963, 972, 973, 974, D50,D60, FD70, 3000, 5000 FD Grain Heads	G81-0097	
MF	683476M1, 994M1	HA81-DH, HA215H	725, 925, MF885 Windrower. 2-Prong Double Heat Treated	G81-0098	
MF	228392M2	FHA62, HA240A	Rigid Combines 2-Prong	G81-0191	
New Holland	219190	HA93-2, HA218	All Mowers	G81-0184	
New Holland	219190	HA93-DH	Mowers. 2-Prong Dbl. Heat Treated	G81-0144	
New Holland	65327	HA66-2, HA245	Older Windrowers & Mower Conditioner. 2-Prong Forged	G81-0192	
New Holland	219191 DH	HA81-DH, HA215H	Windrowers & M/C. 2-Prong	G81-0098	
New Holland	273846	HA81-2, HA215	All Windrowers & M/C	G81-0155	
New Holland	271971	HA62-2A, HA240A	Combines Rigid Bar 960, 2-Prong Forged.	G81-0191	
New Holland		HA86-2, HA250	All Windrowers & M/C	G81-0191	
New Idea	25314	DM700	Most Mowers Center Malleable.	G81-0803	
New Idea	MC 2041Z	Center Malleable	521, 522 Mowers	G81-0830	
New Idea		HA65-2	521, 522 Mower. 2-Prong Forged	G81-0035	
New Idea		HA66-DH	Uni-Harvester Header No. 815 thru 820. 2-Prong Dbl. Heat Treated	G81-0042	
New Idea	714611	HA62-2A, HA240A	71, 713, 715 Combine	G81-0020	
Rowse	219190	HA93-2	Current Mowers Forged	G81-0184	
Rowse	219190	HA93DH	Current Mowers Dbl. Heat Treated	G81-0144	
Versatile	SW1605	HA67-2, HA290	All Windrowers. 2-Prong Forged	G81-0197	



NON-ADJUSTABLE HOLD DOWN CLIP

Fits bolted sickles. C45-0693 fits bolted sickles with head clearance.

Order No. Price

C45-0692 (Lo-Arch)
C45-0693 (Hi-Arch)



JOHN DEERE 600 SERIES HEAD CAST ADJUSTABLE HOLD DOWN CLIPS

Arch	Replaces	Order No.	Price
Low	AH218547	C45-0620	
High	AH218548	C45-0625	



ADJUSTABLE HOLD DOWN CLIP

Fits most combines, mowers and windrowers except Versatile, Hart-Carter and Love.

Eye Catching Countertop Display

- Proven Profit Center
- Heat Treated For Long Life
- Keep Inventory Costs Down By Stocking This Universal Design
- MADE IN THE U.S.A.

Order Number	Description	Price
C45-0040X	Display Box	
C45-0040	Single Clip	

*24 Per Display Box



GUARD BOLTS W/NUTS

Universal #3 Plow Bolt. 50 Bolts & Nuts Per Box



Size	Order No.	Price
7/16" x 1-1/2"	B55-0260	
7/16" x 1-3/4"	B55-0265	

DISC MOWER BLADES



Fits	6 Per BB		25 Per Box	
	Order No.	Price	Order No.	Price
Gehl, John Deere, Kuhn	B45-6122D B45-6123D		B45-6122 B45-6123	
Gehl, Hesston, Kuhn, Vicon	B45-6559D B45-6560D		B45-6559 B45-6560	
Bush Hog, Hesston	B45-6563D B45-6564D		B45-6563 B45-6564	
John Deere, New Holland, Vicon	B45-6565D B45-6566D		B45-6565 B45-6566	
Hesston, Kuhn, New Holland	B45-6568D B45-6569D		B45-6568 B45-6569	
Bush Hog, Case-IH, New Idea, Vicon	B45-6992D B45-6993D		B45-6992 B45-6993	
John Deere, Hesston, New Holland, PZ, Vermeer	B45-6996D B45-6997D		B45-6996 B45-6997	
Krone, Fella & Claas	B45-6998D		B45-6998	
Kuhn & New Holland	B45-6175D		B45-6175	
New Holland 13 Degree Angle Blade Replaces 9847683	B45-6721D B45-6720D			
Case-IH, Bush Hog & New Idea	527749, 113385A1, 527749 527748, 113384A1, 527748		B45-6576D B45-6577D	
Case New Holland & Hesston	700715575, 86625673. 700715576, 86625674. 18° Bottom Bevel 18° Bottom Bevel 18° Top Bevel 18° Top Bevel		B45-6572D B45-6573D B45-6725D B45-6726D	
Vicon	564.512.10		B45-6702D	
Krone	138880, 1398883 138890, 1398893		B45-6723D B45-6722D	

- Meets or Exceeds ISO 5718 Standards.
- Edges Are Formed, Not Ground To Prevent Chipping or Breaking.
- Made From USA 10B38(Boron) Steel.
- Entire Blade Is Heat-Treated to a RC Hardness of 45-52.



DISC MOWER BOLTS

6 bolts & 6 nuts per blister box



B55-0340D

B55-0342D



B55-0344D

B55-0356D




B55-0357D

B55-0358D

Replaces Number	Mfr. Name	Description / Application	Order No	Price
561.501.00K	Kuhn	For GMD41, 44, 55, 66, 240, 260, 452.	B55-0340D	
CC19334K	John Deere	240, 260, 1320, 1326, 1327		
81160K	Vicon	Fits all models	B55-0342D	
	Gehl	140, 160, 2310, 2330, 2350		
561.158.00K	Kuhn	Heavy Duty, for CMD 500, 600, 801, FC250, 300, GMD66HD, GMD77HD	B55-0344D	
527745K	New Idea	DM5406, 5407, 5408, 5409, 5410 5209, 5212, MC136	B55-0355D	
1377.26.6K	Krone	Includes 141.053.4 Bolt & 909.602.1 Nut	B55-0356D	
BK001	Bush Hog	DM70, 80, 90, 180, 190	B55-0357D	
527745K	Case/IH	3204, 3205, 3206, 3309		
	Hesston/MF	1006, 1007, 1306 - 1310, 1326 - 1330		
	New Idea	526, 527, 528, 5207, 5209		
CC19929K	John Deere	1320, 1326, 1327, 240, 260	B55-0358D	
562.101.00K	Kuhn	GMD44, 55, 66		
5621010015	New Holland	442, 452, 462		
87515925K	New Holland	W/O Lifters. 615, 616, 617, 720HD, 750HD, 1" Bolt 1409, 1410, 1411, 1412, 1431, 1432, 1441, 1442, 2331, 232, 2353, 2355, 2358, DCX101, DCX131, DCX161, RDX161, H6730, H6740, H6750, H7220, H72230H H7320, H7330	B55-0359D	
8651926K	New Holland	With Lifters. 615, 616, 617, 720HD, 750HD, 1.75" Bolt 1409, 1410, 1411, 1412, 1431, 1432, 1441, 1442, 2331, 232, 2353, 2355, 2358, DCX101, DCX131, DCX161, RDX161, H6730, H6740, H6750, H7220, H72230H H7320, H7330	B55-0360D	

BAR RAKE TEETH



Model	Replaces	Description	Application	Order Number	Price
International	457374R1, 462978R1	.225" wire. Red	3, 4, 5, 8, 9, 11, 14, 15, 16, 30, 35, 86, 96, 97	T16-0126	
John Deere	186SE	.244" wire. Black	553, 594 Side Delivery Rake	T16-0320	
New Holland	131673	.187" wire. Yellow	660, 845, 846, 847, 850, 851, 852 Super sweep & lg. round balers	T16-0162	
New Holland	65668L	1 Prong, LH	56B, 57, Rakes 259, 216, 256, 258, 260, 269 & 216 Rakes	T16-0154	
New Holland	127566	2-Prong	Balers 78 & Super 68, 273, 276 Darf, NH,	T16-0158	
New Holland	64562	1-Prong Spring Tooth	55, 56B, 57, 256, 258, 259, 260 rakes 35, 86, 96, 97	T16-0370	
New Idea	048ME, M8	.244" wire. Green	4, 44, 45G, 1948 & Up	T16-0380	

WHEEL RAKE TEETH

*Sold 10 per bundle. 10 bundles per box.

Model	Replaces	Description	Application	Order Number	Price
H&S, Sitrex, Atlas,	203055, OT-1	.262" wire dia.		T16-0810D	
Koehn, M&W	203055,	.281" wire dia.		T16-0815D	
Rossi	6087-54	.262" wire. 6.5 mm. Cream	Wheel Rake	T16-0811D	
Tonutti	PL015	.244" wire. 6 mm. Cream	Wheel Rake LH	T16-0809D	
Tonutti	PR015	.244" wire. 6 mm. Cream	Wheel Rake RH	T16-0808D	
Kuhn, Vicon, Tonutti	VI-1, 36133	.262" wire. 6.5 mm. 1-Prong. Short 10"	Wheel Rake	T16-0489D	
Vicon Lely	VI-2 92611, 1023216M1	.262" wire. 6.5 mm. Cream	5-Wheel Rake	T16-0490D	

- Convenient Packaging
- Easy Handling & Inventory
- Includes Application Information & UPC
- Increased Sales




RUBBER RAKE TEETH

*Sold 80 Per Box Only

Model	Replaces	Description	Application	Order Number	Price Ea.
Darf	RMT-2, 2117RLR WR5901, 400341, 491478	2-Prong	Darf, Rowse, New Idea	T16-0190	
John Deere	EF288801, AE56204	LH & RH	700, 705	T16-0185	
New Holland	850613D	LH	Allen & NH Rola Bar Rakes & Pequea. Made in USA	T16-0170*	
New Holland	850614D	RH	Allen & NH Rola Bar Rakes & Pequea. Made in USA	T16-0171*	
Universal	RMT-1	LH & RH	Round Bar Rakes, Universal	T16-0182	
Vermeer	2888-001	LH & RH	R9, R21, R23, R23A, R24, R24A, R2300 Twin Rake	T16-0185	



W16-0802



RAKE WHEELS

Color Cream. Tine Diameter: Heavy Duty .276" (7mm). Fits H&S, M&W, Sitrex, Ottoman, NH, John Day and Westward.

Replacement Tine Part Number: T16-0815.

Order Number	Price
W16-0801 (Right)	
W16-0802 (Left)	

Tine Diameter: Heavy Duty .276" (7mm). Fits Tonutti/National/Walton, John Deere/Frontier, Vermeer, Kuhn, Miller Pro/Arts Way, Gehl. Replacement Tine: T16-0489. Black.

Order Number	Price
W16-0805 (Right, P20BG003) No Match!	
W16-0806 (Left, P20BG004) No Match!	



HUB ASSEMBLY

Hub Assembly with bearing for all wheels listed at left. Pilot: 3.21". Bolt Circle: 5.12". 13mm Bolt Required

Order No. H16-1000

RAKE WHEEL BEARINGS

Timken OEM replacement wheel bearings. Fits most wheel rake hubs.



Order Number	Description	Replaces	Price
B15-0620	Inner	610.012	
B15-0625	Outer	610.014	



WHEEL TINE BOLT AND NUT

10 Per Blister Pack

Fits Sitrex, Case, H&S, M&W, New Holland, Westward & All Others.

Order No. B55-0800D



BALE COUNTER

Reads up to 99,999. 4-Hole Mounting Plate Push Button Reset Adjustable Side Arm.

Order No. T55-0002

TEDDER TIRES

Ribbed tire and rim assembly with bearings

Fits Krone, Kuhn, John Deere, New Holland, M&W, Sitrex

Size	Ply	Bore	Hub Length	Order No.	Price
15" x 600-6"	6	1"	3.18"	W29-1506	
16" x 6.50-8"	6	1"	3.18"	W29-1608	

Fits Galfre, Kuhn, John Deere, New Holland, Rossi, Sitrex, Tonutti, Vermeer

Size	Ply	Bore	Hub Length	Order No.	Price
3.50" x 6"	4	1"	2.28"	W29-0306	

W29-1506



W29-1608



HERSCHEL 6" 2 PIECE POLY TINES FOR PIPE REELS

Fits Agco-Gleaner 700, 800, 7000 and 8000 series; Case-IH 1010 & 1020 series (2001 & Up); John Deere 900 F & R series s/n 685101 & Up; Massey Ferguson 9800 & 9850 series; NH 71C, 73C & 74C. JD 600 series, CNH 2020



Patented 2 Piece Design
Save Money!
Replace Only The Tine!




Description	Box Qty	Order No.	Price
Tine & Clamp	100	T16-0740	
Tine & Clamp	10	T16-0745	
Tine ONLY	100	T16-0750	

REEL TINES



Patented 2 Piece Design
Save Money!
Replace Only The Tine!



Description	Replaces	Box Qty	Order No.	Price
Front Side Of Wood Bats	N66A	100	T16-0183	
M/L Reel Tine ONLY for T16-0720 & T16-0715	HA100MLT	100	T16-0725	
2-Pc. M/L Reel Tine w/clamps 4" wide wing	782226, 1989438C1 A136689, AH153175	10/bag	T16-0715	
2-Pc. M/L Reel Tine w/clamps 4" wide wing	782551, 1989438C1 A136689, AH153175	100	T16-0720	

PLASTIC BEARINGS & HARDWARE FOR PIPE REEL KITS

Sold 6 Per Box

Order Number	Description	Application
B15-0915	Plastic Bearing Kit. Includes cap, base, U-Bolt & nuts.	Case-IH 810, 820
B15-0920	Plastic Bearing Kit. Includes bearing halves, bolts & nuts.	Case-IH 1010, 1020. AGCO Gleaner series 3 & 300, MF 9700, 9750 all with teardrop bats with rear mounted tines.
B15-0925	Plastic Bearing Kit. Includes bearing halves, bolts & nuts.	Case-IH 1010, 1020. AGCO, Case-OH, JD, MF, NH with pipe reels.



VERMEER BALER BEARINGS & SPROCKET



OEM#	Bore Size/Shape	Description	Fits	Order No	Price
1718-001	1" Cylindrical w/collar	Rubber Idler Roller	I, K, L, XL Series	H1718001	
4051-001	1-1/2" Cylindrical w/collar	Hay Saver Wheels and Net Wrap Idler	G, H, I, J, K, L, XL, M Rebel Series	H4051001	
215-003, 510502547	1-1/2" Cylindrical w/collar	Idler & Upper Roller	F, G, H, I, J, K, L, XL, M, Rebel Series	H215003	
4047-001	1-1/4" Spherical w/collar	Pick Up Drive, Power Feed Rollers, Belt Tightener Assembly	I, K, L, XL, M, Rebel Series	H4047001	
4052-001, 502289-001	1-1/4" Spherical w/collar	Cross Drive Shaft, Pick up, Lower Drive Roller	I, J, K, L, XL, M, Rebel Series	H4052001	
212-001	1-1/2" Spherical w/collar	Starter, Drive, Idler, Lower Drum Rollers, Pick up, Cross Drive Shaft	C, F, G, H, I, J, K, L, XL, Rebel Series	H212001	
110457-003	1-15/16" Spherical 4 Bolt	Upper Belt Drive Rollers	K, L, XL Series	H110457003	
1813-001	60 Chain, .5" Bore Size.	Idler Sprocket. 3/4 Pitch. 15 Tooth	C, D, E, F, G, H, I, J, K, L, XL, Rebel Series	S62-0807	

JOHN DEERE ROUND BALER SPROCKETS AND BEARINGS

High quality aftermarket chain sprockets for popular models and hard-to-find applications.

- Heat Treated
- Long Wear
- Black Paint




	Order No	Price		Order No	Price
MAIN DRIVE SPROCKET FROM GEAR BOX Round Balers 330, 335, 375, 430, 435, 446, 447, 448, 456, 457, 458, 466, 467, 530, 535, 546, 547, 556, 557, 558, 566, 567, • 17/17 Tooth, 60 Chain, 1.253" Bore • Replaces AE39301, AFH205784	HAE39301		LOWER DRIVE ROLLER SPROCKET #80 Round Balers 458, 468, 468s, 469, 558, 568, 569 • 24 Tooth, 60 Chain / 30 Tooth, 80 Chain • Replaces AE74598, AXE15284	HAE74598	
UPPER DRIVE ROLLER SPROCKET Round Balers 330, 335, 375, 430, 435, 446, 447, 448, 449, 456, 457, 458, 466, 467, 530, 535, 546, 547, 549, 556, 557, 558, 559, 566, 567 • 40 Tooth, 60 Chain, 1.504" Bore • Replaces AE39654, AFH205815	HAE39654		IDLER SPROCKET MAIN DRIVE #80 Round Balers 458, 468, 468s, 558, 568 • 12 Tooth, 80 Chain, 1.573" Bore • Replaces AH216239	HAH216239	
STARTER ROLLER SPROCKET Round Balers 330, 335, 375, 385, 430, 435, 530, 535, 540, 545, 550 • 20 Tooth, 60 Chain, 1.504" Bore • Replaces AE39650	HAE39650		HEADER DRIVE SPROCKET #50 Round Balers 447, 448, 457, 458, 467, 468, 468s, 540, 545, 547, 550, 557, 567, 568 • 19 Tooth, 50 Chain, 1.253" Bore • Replaces AE57757	HAE57757	
LOWER DRIVE ROLLER SPROCKET Round Balers 330, 335, 375, 385, 430, 435, 449, 459, 530, 535, 540, 545, 550, 559, 569 • 20/40 Tooth, 60 Chain, 1.504" Bore • Replaces AE39652	HAE39652		IDLER SPROCKET FOR HEADER DRIVE Round Balers 224T, 224WS, 327, 328, 336, 338, 346, 347, 348, 435, 446, 447, 448, 457, 458, 458s, 466, 467, 468, 468s, 535, 540, 545, 546, 547, 550, 556, 557, 558, 567, 568 • 11 Tooth, 50 Chain, 0.625" Bore • Replaces AFH205820, AE13360	HAE13360	
IDLER SPROCKET FOR MEGA PICKUP w/BEARING Round Balers 330, 335, 375, 385, 430, 435, 530, 535, 540, 545, 550 • 40/22 Tooth, 50 Chain, 1.127" Bore • Replaces AE51818	HAE51818		CAM FOLLOWER BEARING FOR PICKUP REEL Round Balers 330, 335, 375, 385, 410, 430, 435, 446, 447, 448, 449, 456, 457, 458, 459, 466, 467, 468, 468s, 510, 530, 535, 540, 545, 546, 547, 550, 556, 557, 559, 566, 567, 568, 569 • .05" Bore • Replaces AE46215, AFH2040000	HAE46215	
DRIVE SPROCKET FOR MEGA PICKUP Round Balers 446, 447, 449, 456, 457, 459, 466, 467, 468, 546, 547, 556, 557, 559, 566, 567, 568, 569 • 40 Tooth, 50 Chain, 1.253" Bore • Replaces AE52633	HAE52633		STARTER ROLL, LOWER GATE ROLLER BEARING Round Balers 335, 375, 385, 435, 446, 449, 456, 459, 466, 467, 469, 535, 546, 556, 559, 566, 567, 569 • 1-1/2" Hex. 3.3456" OD • Replaces AE40895	HAE4089	
STARTER ROLLER SPROCKET Round Balers 446, 447, 449, 456, 457, 459, 466, 467, 468, 546, 547, 556, 557, 559, 566, 567, 568, 569 • 24 Tooth, 60 Chain, 1.504" Bore • Replaces AE54301, AFH205816	HAE54301		TOP IDLER & DRIVE ROLLER BEARING Round Balers 430, 435, 456, 466, 467, 530, 535, 547, 556, 557, 567 • 1-1/2" Hex. 3.5433" OD w/Cast 4-Bolt Flange • Replaces AE74652, AR54574, AFH206196, AE45208, AE54574, AE45038	HAE74652	
LOWER DRIVE ROLLER SPROCKET Round Balers 446, 447, 449, 456, 457, 459, 466, 467, 468, 546, 547, 556, 557, 559, 566, 567, 568 • 40/24 Tooth, 60 Chain, 1.504" Bore • Replaces AE54302, AFH205819	HAE54302		IDLER, REAR GATE W/O NET WRAP, BELT STAGGERING & ARM ROLLER BEARING Round Balers 335, 375, 430, 435, 446, 447, 449, 456, 457, 458, 458S, 459, 466, 467, 468, 468S, 469, 530, 535, 546, 547, 557, 558, 559, 566, 567, 568, 569 • 1-1/4" Hex. 3.1496" OD • Replaces AE46606	HAE46606	
SLIP CLUTCH FOR MEGA PICKUP Round Balers 446, 447, 456, 457, 466, 467, 468, 468s, 546, 547, 556, 557, 566, 567, 568, 569 • 33 Tooth, 50 Chain, 2.625" Bore, 4 Bolt, 3.307" Bolt Circle • Replaces E88455, FH304862	HE88455		PICKUP SUPPORT BEARING Round Balers 330, 335, 375, 385, 430, 435, 446, 456, 466, 467, 468, 535, 555, 558, 565, 575, 580, 582, 490 • 1-1/8" Hex. 2.8346" OD • Replaces AN102010	HAN102010	
DRIVE SPROCKET FOR STANDARD PICKUP Round Balers 447, 448, 449, 457, 458, 458S, 459, 467, 468, 468S, 469, 547, 567, 557, 558, 559, 568, 569 • 40 Tooth, 50 Chain, 1.253" Bore • Replaces AE58632, AFH205822	HAE58632		PICKUP FRAME SUPPORT BEARING Round Balers 385, 430, 435, 447, 456, 457, 458, 468, 468S, 530, 535, 567, 568 • 1.0" Hex. 2.4409" OD • Replaces JD9313	HJD9313	
SLIP CLUTCH SPROCKET FOR STANDARD PICKUP Round Balers 447, 448, 457, 458, 458s, 467, 468, 468s, 547, 567, 557, 558, 568 • 38 Tooth, 50 Chain, 2.625" Bore, 4 Bolt, 3.307" Bolt Circle • Replaces E96714, E131608	HE96714		STARTER & PICKUP DRIVE ROLLER Round Balers 3335, 375, 430, 435, 446, 447, 449, 456, 457, 458, 458S, 459, 466, 467, 468, 468S, 469, 530, 535, 546, 547, 557, 558, 559, 566, 567, 568, 569 • 1.0" Hex. 2.44" OD • Replaces JD8338	HJD9338	
UPPER DRIVE ROLLER SPROCKET #80 Round Balers 458, 468, 468s, 558, 568 • 30 Tooth, 80 Chain • Replaces AE74596	HAE74596				
MAIN DRIVE SPROCKET GEAR BOX #80 Round Balers 458, 468, 468s, 558, 568 • 13/13 Tooth, 80 Chain • Replaces AE74597	HAE74597				

ROTARY MOWER TAIL WHEELS

OEM Quality. Fits Most major Brands
Including: Bush Hog, John Deere, LandPride, Rhino and More.

- Forged Yokes for added strength. • All parts zinc or powder coated.



Description	Order No.	Price
4x8 4 Bolt Rim w/15 x 4 Laminated Tire	A 1234384	
6x9 4 Bolt Rim w/21 x 5.5 Laminated Tire	A 1234386	
6x9 5 Bolt Rim w/21 x 5.5 Laminated Tire	A 1234388	
Complete Tail Wheel Assembly. 1-1/4" Diameter Yoke w/Cast Hub & Bushings	A 1233782	
Complete Tail Wheel Assembly. 1-1/4" Diameter Yoke w/Cast Hub & Bearings	A 1233784	
Complete Tail Wheel Assembly. 1-1/2" Diameter Yoke w/Cast Hub & Bearings	A 1233786	

ROTARY MOWER WHEEL PARTS

OEM Quality. Fits Most major Brands Including: Bush Hog, John Deere, LandPride, Rhino and More. All parts zinc or powder coated.



Type	Description	Used On	Order No.	Price
Axle Bolt	3/4 x 8" Clipped Head Axle Bolt w/Castle Nut	A 1233782, A 1233784 & A 1233786	A 1234370	
Bushing	3/4". For cast and fabricated hubs		A 1234377	
Bushing	1". For cast and fabricated hubs		A 1234379	
Hub	Cast Hub w/1" I.D. Bushings		A 1234371	
Hub	Cast Hub w/3/4" I.D. Bushings	A 1233782	A 1234372	
Hub	Cast Hub w/3/4" Bearings & Weed Guards. 510	A 1233784 & A 1233786	A 1234373	
Hub	Fabricated Hub w/1" I.D. Bushings		A 1234374	
Hub	Fabricated Hub w/3/4" I.D. Bushings.		A 1234375	
Rebuild Kit	Includes 2 caps, 2 bearing/races, 2 step bushings and 2 seals		A 1234385	
Yoke	1-1/2" Yoke diameter. For 3/4" axles		A 1234382	
Yoke	1-1/4" Yoke diameter. For 3/4" axles		A 1234383	

All Hubs Include Lug Bolts.

FINISH MOWER PARTS

OEM Quality. Fits Most Major Brands.

Description	Order No.	Price
3.25" x 10" Finish Mower Assembly	A 1233781	
1" Diameter Yoke. 8.5" Long		
Solid Molded Finish Mower Tire w/rim	A 1234378	



NEEDLE BEARING
3/4" I.D. bearing for finish mower wheel.

Order No.	Price
A 1234380	



5 PC. FINISH MOWER ASSEMBLY SPACERS
Includes (4) 1" and (1) 1/2" spacers.

Order No.	Price
A 1234381	



3 PC. STEP DOWN BUSHING
3/4" x 1/2". Includes 2 bushings and 1 sleeve.

Order No.	Price
A 1234369	

AXLE BOLT WITH LOCK NUT

12 mm x 168 mm

Order No.	Price
A 1234368	

NEW HERSCHEL PLIERS

LIFETIME WARRANTY!!

- Made From High Quality Drop Forged Steel.
- Recessed Nut and Bolt System That's Adjustable In The Field.
- Rubberized Grips
- Reusable Countertop Display

MADE IN THE
USA

Display Includes:

- 4 6-1/2" Pliers
- 4 8" Pliers
- 4 6-3/4" Angle Nose Pliers

Order No. T55-2555D



COUNTER DISPLAY REFILLS



FLUSH FASTENER SLIP JOINT PLIERS

Size	Order No.	Price
6-1/2"	T55-0262	
8"	T55-0263	

ANGLE NOSE PLIERS WITH SHEAR CUTTER

Size	Order No.	Price
6-3/4"	T55-0251	



ACRYLIC LACQUER CLEAR COAT

Use for a "Water Clear" non-yellowing gloss coat on tractors and equipment. Spray application recommended. Provides additional protection and fade resistance.

Use over properly cured tractor, equipment and industrial enamel.

Aerosol Order No. A 972609
 Quart Order No. A 962609
 Gallon Order No. A 952609

SANDABLE GRAY PRIMER

High quality sandable acrylic primer can be used with a wide range of topcoats. Fast filling and low shrinking. Easy wet or dry sanding. 10-15 min dry to touch, 1 hour to sand/topcoat. Excellent adhesion and holdout. Superior resistance to rust and corrosion. Covers approximately 300 sq ft per gallon.

Aerosol Order No. A 972608
 Quart Order No. A 962608
 Gallon Order No. A 952608



Fast Drying!

PAINT

Description/Size Order No. Price

ALLIS CHALMERS PERSIAN ORANGE

Gallon A 951001
 Quart A 961001
 12 oz. Aerosol A 971001

ALLIS CHALMERS PERSIAN II (1961 & Later)

Gallon A 951002
 Quart A 961002
 12 oz. Aerosol A 971002

FORD BLUE

Gallon A 951306
 Quart A 961306
 12 oz. Aerosol A 971306

FORD RED (8N, NAA)

Gallon A 951301
 Quart A 961301
 12 oz. Aerosol A 971301

INTERNATIONAL HARVESTER (1981 & Older)

Gallon A 951403
 Quart A 961403
 12 oz. Aerosol A 971403

Description/Size Order No. Price

JOHN DEERE GREEN

Gallon A 951702
 Quart A 961702
 12 oz. Aerosol A 971702

JOHN DEERE YELLOW

Gallon A 951703
 Quart A 961703
 12 oz. Aerosol A 971703

MASSEY FERGUSON RED

Gallon A 952002
 Quart A 962002
 12 oz. Aerosol A 972002

MINN-MOLINE PRAIRIE GOLD

Gallon A 952201
 Quart A 962201
 12 oz. Aerosol A 972201

OLIVER GREEN (Early) 1938-44

Gallon A 952402
 Quart A 962402
 12 oz. Aerosol A 972402

Description/Size Order No. Price

WHITE GLOSS

Gallon A 952502
 Quart A 962502
 12 oz. Aerosol A 972502

PROPANE TANK PAINT

Oil based formula with "Fortified" Ultra Violet Arrestors for longer lasting gloss white finish. Superior gloss retention and weather protection for the most severe conditions. Rust resistant enamel designed for use on propane tanks. Brush, roller or spray application.



Order Number Price
 A 941021

See Pages 479 & 480 In Our Catalog
 For A Complete Listing Of Paint.

GAUGES BY THOMAS B FARIA!

- MADE IN THE USA
- Anti-Scratch Glass Lens
- Plastic Cases for Corrosion Resistance and Long Life.
- 12 VDC Negative Ground
- Durable, Rugged Construction
- Black Aluminum Bezels with White Pointers

LIMITED LIFETIME WARRANTY!

LIGHTED OIL PRESSURE GAUGE



0-80 PSI

Order No.
 A 2348872

Price

4" TACHOMETER



Signal Source Alt/Pulse.
 0-4000 RPM

Order No.
 A 2348880

Price

LIGHTED FUEL GAUGE



OHM Range 33-240

Order No.
 A 2348874

Price

LIGHTED TEMPERATURE GAUGE



100-250 degrees

Order No.
 A 2348873

Price

LIGHTED AMMETERS



Description Order No. Price
 30-0-30 A 2348870
 60-0-60 A 2348871

LIGHTED VOLTMETERS



Description Order No. Price
 12 Volt A 2348877
 24 Volt A 2348879

HOURLY METERS



Description Order No. Price
 Analog. Unlit A 2348875
 Digital. Lighted A 2348876

WATER PUMPS - FORD



Application

1910, 2100 (1983 & Up), 2120 (1987 - 99)

1710 (1983 & Up)

1500, 1700, 1900 (1979 & Up)

1720, 1920 (1987 & Up), 2120 (1999 & Up), 3415 (1987 & Up), 1925, MC35, T1510, T1520, T1530, T2210, T2222, T2310, T2320, T2330, TC30, TC31DA, TC33, TC33D, TC33DA, TCD34DA, TC35, TC35A, TC35D, TC35DA, TC40, TC40A, TC40D, TC40DA, TC45, TC45A, TC45D, TC45DA, TC48DA, TC55DA, TT45A, TT50A.

Boomers: 2030, 2035, 3040, 3045, 3050, 4055, 4060, G6030

Order No. Price

A 1033365

A 1033366

A 1033367

A 1033368

A 1033369

GASKET MATERIAL



Type	Size	Description	Order No.	Price
Asbestos Free	1/32" x 12" x 20"	For high heat applications up to 350°	A 910661	
Cork	1/16" x 12" x 36"	For oil pans, fuel pumps, time covers, etc. Good for rough surfaces.	A 910638	
Cork	1/8" x 12" x 36"	For oil pans, fuel pumps, time covers, etc. Good for rough surfaces.	A 910646	
Treated Fiber	1/32" x 9" x 36"	For carburetors, water pumps, transmissions, fuel pumps, etc. Resists water, gas and oil.	A 910777	


MUFFLER CLAMPS

- Zinc Coated
- Includes U-Bolt, Saddle & Nuts

Size	Order No.	Price
1-3/4"	A 26567	
2"	A 26633	
2-1/4"	A 26732	
2-1/2"	A 26773	
2-3/4"	A 26775	
3"	A 1053289	
3-1/2"	A 1053297	
4"	A 1053305	



PRE-CLEANER BOWLS



	Order No.	Price
A.	A 701649	
B.	A 701599	
C.	A 701600	

STARTER SWITCH

4 position, 4 stud terminal. ACC/Off/On/Start. Fits any opening 3/4" to 1" diameter and up to 3/8" thick.

Order No: A 782979



IGNITION SWITCH

Fits Ford models 1939 - 1964.

Order No: A 574194



PROOFMETERS & TACHOMETER



Description

PROOFMETERS

Ford 8N built 1950-52 w/side mount distributor. Replaces pn.: 8N17360A.

Ford NAA, 600, 700, 800, 900, 2000, 4000 gas models w/4-cylinder engines. 4 speed

Ford 600, 700, 800, 900, 2000, 4000 gas 4-cylinder engines and 5-speed transmission built 1953-1964.

TACHOMETER

International 460, 560

Order Number Price

A 569210

A 569228

A 569236

A 569256

UNIVERSAL AMMETERS

Fits most models using 2" gauge. Works with positive or negative ground systems.



30 AMP
A 911115



60 AMP
A 2213020

UNIVERSAL OIL PRESSURE GAUGES



Fits most models with 2" gauge. 48" copper tubing. 0-80 PSI.

A 911107



Fits tractors with gauge in oil filter housing. 0-30 PSI.

A 582296

TEMPERATURE GAUGES



UNIVERSAL
Fits most models using 2" gauge. 100° - 220°. Comes with 60" capillary tube and adapters.

A 1042944



ALLIS CHALMERS
Fits B, C, CA, WC, WD, WD45. Original style fits into radiator neck. White dial face with black letters.

A 582056



INTERNATIONAL
Fits B, C, Super A, Super C, H, M, 100, 130, 140, 200, 230, 240, 300, 340, 350, 400 except diesels. 2' lead. Replaces 393481RH. White Face with Black Ring

A 2348894



VOLT METER

8-16 Meter. Lighted. 2" Gauge

911117

GREASE GUNS



\$

HEAVY DUTY LEVER-TYPE

Features bulk loader, air bleeder valve, 6" steel extension and 4-jaw coupler with ball check. Capacity: 14 oz cartridge or 500 cm bulk fill. 1/8" NPT threads. 10,000 PSI.

Order No. A 700140



\$

LEVER ACTION

2-way loading. 14 oz. cartridge or suction. Knurled barrel for non-slip grip. Includes 5-3/8" pipe and coupler. Baked enamel finish is easy to keep clean.

Order No. A 700130




HEAVY DUTY PISTOL GRIP

Features 3-way loading capability. Air bleeder valve, 6" steel extension with hydraulic coupler. Check valve to prevent bypass. Chrome plated finish. 6,000 PSI

Order No. A 700145

\$



PISTOL GRIP

Convenient, one-hand operation for easy greasing. Includes 5" pipe with coupler. 3-way loading. 14 oz. cartridge, bulk, or suction. Develops up to 7000 PSI.

Order No. A 700135

\$



A 1161702



A 1161706



A 1161708

GALVANIZED STEEL FUNNELS

Heavy duty construction for rugged use. Rolled edge, high, splash proof rim. Fluted bottom to prevent swirling. Comes with a fine mesh SS strainer.

Capacity	Opening Diameter	Length Of Spout	Spout Opening	Overall Height	Order No.	Price
2 qt.	8-1/2"	3-1/4"	1/2"	8"	A 1161702	
6 qt.	8-1/2"	3-1/4"	1-1/8"	14-1/2"	A 1161706	
8 qt.	9-1/2"	3-3/4"	1-1/4"	11-1/2"	A 1161708	



GALVANIZED FUNNEL WITH FLEXIBLE PIPE AND SCREEN

Heavy duty galvanized steel construction. Comes with fine mesh ss strainer. 12" flex metal spout with taper tip for hard-to-reach spots.

Order No. A 1161704

3 JAW GEAR PULLERS

Heat treated alloy steel. Drop forged for strength. Chrome plated.



Description	Order No.	Price
3 Inch	T55-2200	
4 Inch	T55-2201	
6 Inch	T55-2202	
8 Inch	T55-2203	

3/8 IN. IMPACT DRIVER

Loosen rusted bolts and screws. Reversible action. Includes 4 bits: #2 and #3 Phillips, 5/16" and 3/8" regular. Comes in a handy storage case.



Order No.: T55-2005

30 PIECE HEX KEY SET

15 SAE hex keys: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8 in. 15 Metric hex keys: .7, .9, 1.3, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8 and 10 mm. Comes with a handy storage case.



Order No.: T55-2015

HEAVY DUTY GREASE FITTING REJUVENATOR

Force penetrating oil through the grease fitting rejuvenator to open clogged grease joints and fittings in less than a minute. Includes a 5" flex hose for hard to reach fittings and heavy duty carrying case.



Order No. 500630

3 PIECE CIRCUIT TESTER SET

Set includes: Continuity tester, High/Low 6/12 volt tester. 18/24/36 volt tester.



Order No.: T55-2010

JENSEN RADIOS - 2 YEAR WARRANTY!



MINI RADIO

Front panel audio aux-in for use with iPods, MP3 players, and portable CD players. Electronic US/Euro AM/FM Tuner. 2 Wire Power Connection allows unit to maintain station presets. Completely waterproof; locks out water, dirt, and grime. Unit will withstand even the harshest weather conditions. 7-Channel NOAA weatherband tuner. Weather Alert automatically switches to WB mode when NOAA warning broadcast is received. Corrosion and UV-resistant faceplate.

Order No. A 1158900



AM/FM/WB/RBDS STEREO RADIO

Heavy duty DIN AM/FM weatherband radio. 4-channel 160 watt pwr amplifier. 30 pre-sets, 7-channel NOAA tuner. Electronic AM/FM US/Euro tuner with RBDS. Segmented high visibility LCD display with clock. Electronic bass, treble, balance and fade. Front aux-in.

Order No. A 1158907



AM/FM/WB ROOFMOUNT RADIO

Heavy duty DIN AM/FM weatherband radio. 4-channel 160 watt pwr amplifier. 30 pre-sets, 7-channel NOAA tuner. Electronic AM/FM US/Euro tuner with RBDS. Segmented high visibility LCD display with clock. Electronic bass, treble, balance and fade. Front aux-in.


Order No. A 1158911



AM/FM DIGITAL RADIO

Built-in 5" x 7" weatherproof heavy-duty speaker. 12-volt negative ground.

Order No. 1158447



A 7492

IGNITION TUNE-UP KITS

For Delco Distributors. Fits Allis Chalmers, Case, John Deere, IH, MM and Oliver.

Order No: A 7492

Fits Ford 9N, 2N, 8N 1939 - 1950 with front mount distributor.

Order No: A 7658

Fits Ford 8N 1950 - 1952, NAA, 600, 700, 800, 900, 2000, 4000 1950 - 1964.

Order No: A 569624

Fits IH Cub, A, B, C, H, M, MTA, 454, 544. All models with IHC distributor.

Order No: A 569616

UNIVERSAL CHOKE CABLE

72 inches.



Order No: A 574360

TOOL BOXES



Made of heavy gauge steel. 16" x 4.5" x 4.5"

Order Number	Color	Price	Order Number	Color	Price
A 710996	Red		A 711002	Green	
A 711001	Black		A 742442	Blue	



Heavy-Duty With Handle
Made of heavy gauge steel. Includes mounting bracket. 16" x 6-1/2" x 5".

Order Number	Color	Price
A 710997	Green	
A 710999	Red	



Made of heavy gauge steel. Includes mounting bracket. 28" x 8" x 5".

Order Number	Color	Price
A 710998	Red	




Fits Ford 8N 1948-1952. Mounts under the hood. Replaces OEM number 8N17005.

Order No.	Price
A 720838	


RADIATOR GENIE

Air and water wand for blowing/washing out debris. Specially designed fan head to increase working width. Special sized tube for access to close, confined areas. Air adapter is standard milton industrial size. Rust proof. Overall length is 22.5", nozzle length is 17". Water wand is standard garden hose width.

Order No. T55-2210



PILLOW BLOCKS AND FLANGES



BEARING INSERT			CAST IRON PILLOW BLOCKS				STAMPED STEEL FLANGES				CAST FLANGE					
RELUBE TYPE		Price	PRE LUBE TYPE		HIGH CENTER		LOW CENTER		2 HOLE		3 HOLE TRIANGLE		3 HOLE ROUND		4 HOLE	
Shaft Size	Order No.		Order No.	Price	Order No.	Price	Order No.	Price	Order No.	Price	Order No.	Price	Order No.	Price	Order No.	Price
1/2	B15-1009D		B15-2009D		B15-5104		B15-5004		F45-2040		F45-3340		F45-3040		F45-4204	
5/8	B15-1010D		B15-2010D		B15-5104		B15-5004		F45-2040		F45-3340		F45-3040		F45-4204	
3/4	B15-1012D		B15-2012D		B15-5104		B15-5004		F45-2047		F45-3347		F45-3047		F45-4204	
7/8	B15-1014D		B15-2014D		B15-5105		B15-5005		F45-2052		F45-3352		F45-3052		F45-4205	
15/16	B15-1016D		B15-2016D		B15-5105		B15-5005		F45-2052		F45-3352		F45-3052		F45-4205	
1	B15-1100D		B15-2100D		B15-5105		B15-5005		F45-2052		F45-3352		F45-3052		F45-4205	
1-1/8	B15-1102D		B15-2102D		B15-5106		B15-5006		F45-2062		F45-3362		F45-3062		F45-4206	
1-3/16	B15-1103D		B15-2103D		B15-5106		B15-5006		F45-2062		F45-3362		F45-3062		F45-4206	
1-1/4 (LD)	B15-1104D		B15-2203D		B15-5106		B15-5006		F45-2062		F45-3362		F45-3062		F45-4206	
1-1/4 (HD)	B15-1203D		B15-2104D		B15-5107		B15-5007				F45-3372		F45-3072		F45-4207	
1-3/8	B15-1106D		B15-2106D		B15-5107		B15-5007				F45-3372		F45-3072		F45-4207	
1-7/16	B15-1107D		B15-2107D		B15-5107		B15-5007				F45-3372		F45-3072		F45-4207	
1-1/2	B15-1108D		B15-2108D		B15-5108		B15-5008						F45-3072		F45-4208	
1-9/16	B15-1109D		B15-2109D		B15-5108		B15-5008								F45-4208	
1-5/8	B15-1110D		B15-2110D		B15-5109		B15-5009									
1-3/4	B15-1112D		B15-2112D		B15-5109		B15-5009									
1-7/8	B15-1114D		B15-2114D		B15-5110		B15-5010									
1-15/16	B15-1115D		B15-2115D		B15-5110		B15-5010									
2	B15-1116D		B15-2116D		B15-5110		B15-5010									
2-1/8	B15-1117D		B15-2117D		B15-5111		B15-5011									
2-3/16	B15-1118D		B15-2118D		B15-5111		B15-5011									
2-1/4	B15-1119D				B15-5112		B15-5012									
2-3/8	B15-1120D				B15-5112		B15-5012									
2-7/16	B15-1121D				B15-5112		B15-5012									
2-1/2	B15-1122D				B15-5113		B15-5013									
2-3/4	B15-1123D				B15-5114		B15-5014									



4" PEDESTAL REPLACEMENT INCANDESCENT LIGHTS

Description	Order No.	Price
Amber	A 2353038	
Red/Amber	A 2353039	
Red/Black	A 2353040	

Includes 2 Lights!



STANDARD LIGHT KIT

- Includes LH and RH dual lamps meet ASAE S279
- Amber lens front and rear 4CP to side, red lens rear only
- 35' wishbone wiring harness with 7 pin ag plug and tri-plugs
- 5' convoluted tubing for protection in critical areas

Order No.	Price
A 2353030	



DUAL BEAM SPOT LIGHT

- 12V, 55W
- 2 - H3 Halogen Bulbs

Order No.	Price
A 2353042	



RECTANGULAR HALOGEN TRACTOR AND WORK LIGHT

Durable, black polycarbonate housing. Hollow mounting bolt and heavy-duty bracket.

Type	Order No.	Price
3" x 5" flood	2352938	
3" x 5" trapezoidal	2352854	
4" x 6" flood	2352862	
4" x 6" trapezoidal	2352870	
4" x 6" with grill	A 822033	



12 VOLT 5" RUBBER TRACTOR IMPLEMENT LIGHT

Durable, molded weatherproof housing cushions the sealed beam from road shock and vibration. Universal 5/16" stud and adjustable bracket allows mounting in any position. 10' lead wire. Trapezoid beam.

Order No. 2352904

WHY CHOOSE HID LIGHTS?

- 3-4 Times The Light Of Halogen
- Uses Less Amps
- Lasts Longer
- Withstands Higher Vibration & Shock



HID WORK LIGHTS

9-32V 35 watt 3.5 amp. Weatherproof aluminum alloy housing. Stainless steel brackets. 5.9" x 3.9" x 5.7"

Description	Order No.	Price
Full Flood Beam	A 2352875	
Spot Beam	A 2352874	



ADJUSTABLE W/MAGNETIC BASE

- 6" x 4"
- Long Lasting.
- Battery-operated. Uses 4 AA.
- Amber

Order No. 924005



LED 2 FUNCTION W/HD MAGNETS

- 6" x 4"
- Long Lasting.
- Battery-operated. Uses 4 AA.

Description	Order No.
Amber	921005
Red	923005



HID WORK LIGHT

Spot Beam. 9-32V 35 watt 3.5 amp. Weatherproof nylon cover. Stainless steel stand. 4.6" x 4.4" x 5.7"

Order No. A 2352872



LED HEAVY-DUTY TOWING LIGHTS

- 30 Ft Cord
- 4R Plug
- 7 Ft Span
- Stop-Turn-Tail

Order No.	Price
A 2353041	



4-IN-1 WORKLIGHT

- 18 Ft Cord
- Reflective Head
- Head Guard
- Spring Clamp
- Magnetic Base

Order No.	Price
A 2353100	



HEAVY-DUTY MAGNETIC SPOTLIGHT

- 25 Ft Cord
- Includes 4-Pin Plug & Heavy-Duty Cable

Order No.	Price
A 2353105	




LED MULTI-FUNCTION WARNING LIGHT

- 7 Patterns
- 14 Amber LED's
- Surface Mount
- W/Switch 4-3/4" x 2"

Order No.	Price
A 2353130	

RAM™ IMPLEMENT JACKS

- Black Powder Coated
- Zinc Handle and Foot
- Greaseable Gears



Mount	Wind	Weight	Travel	Order No.	Price
Tube Mount	Side Wind	2000 lb.	10"	J01-0205	
Tube Mount	Side Wind	2000 lb.	15"	J01-0290	
Tube Mount	Side Wind	5000 lb.	15"	J01-0210	
Tube Mount	Top Wind	2000 lb.	10"	J01-0220	
Tube Mount	Top Wind	2000 lb.	15"	J01-0225	
Tube Mount	Top Wind	5000 lb.	10"	J01-0260	
Tube Mount	Top Wind	5000 lb.	15"	J01-0265	

Mount	Wind	Weight	Travel	Order No.	Price
Weld-On	Top Wind	2000 lb.	10"	J01-0215	
Weld-On, Drop Leg	Side Wind	7000 lb.	15"	J01-0212	
Weld-On, Drop Leg	Side Wind	12000 lb.	12.5"	J01-0216	
Marine Swivel	Side Wind	1000 lb.	10"	J01-0217	
A-Frame	Top Wind	2000 lb.	14"	J01-0230	
A-Frame	Top Wind	5000 lb.	15"	J01-0235	
Jack Foot w/Hardware for 2" A-Frame Jacks				J01-0250	



UNIVERSAL GRAMMER STYLE SEATS

- Slide Track /Adjustable Base
- Fully Adjustable Suspension
- Suspension adjustment for weight from 110 - 265 lbs.
- Suspension includes hydraulic shock absorber.
- Suspension vertical travel is 4-3/4".
- Horizontal slide travel is 8-3/4".
- Multi-Hole Universal Bolt Pattern.

Color	Order No	Price
Black	1-826035	
Blue	1-826036	
Yellow	1-826037	
Cloth	1826041	



New Lower Price!

LAWN TRACTOR SEATS

- Steel pan with trimmed edge
- Blue vinyl covered molded cushions
- Drain hole and contoured for air flow
- Safety switch cavity
- Bolt patterns: 6"x5", 7.5"x3", 7.5"x7", 8.25"x5", 8.5"x1.63", 11.25"x11"
- Fits Lawn & Garden, Utility, Compact Tractors & Skid Steers

Color	Order No.	Price
Black	913903	
Yellow	913905	



LIQUID WRENCH CHAIN LUBE

Safe on all chains, non-staining. Prevents corrossing and oxidation. Anti-Sling formula stays where you put it. 11 oz.


Order No. A 100082



LIQUID WRENCH PENETRATING OIL

Loosens rusted nuts, bolts and parts. Multi-use penetrant. 12 oz.

Order No. A 100081



PB BLASTER PENETRATING CATALYST

Loosens rusted joints and frozen parts by removing surface tension. Protects against future rust and corrosion and even works on wet parts. Non-evaporating lubricant. 11 oz.

Order No. A 100083



SEAFOAM

Great for cleaning carburetors, flushing impurities out of fuel, decarbonizing pistons and stabilizing fuel for storage.

Order No. A 100084



POWER SERVICE DIESEL SUPPLEMENT

Keeps fuel fresh. Removes water and disperses contaminants. Helps prevent gelling. Treats all diesel fuels including ULSD and biodiesel. 32 oz.

Order No. A 100080



DIESEL 9-1-1®

De-ices frozen fuel filters. Reliquefies gelled fuel. Prevents fuel-filter icing. Removes water from fuel system and extends the life of fuel filters, fuel injection pumps and fuel injectors. Treats 30 - 75 gallons.

Order No. A 100086



RED-KOTE FUEL LINER

Designed to seal leaks and prevent further rusting. 1 Qt. 1qt. treats up to 12 gallon tank.

Order No. A 478521



HEAVY DUTY OIL STABILIZER

Eliminates dry starts and resists thermal breakdown for total protection in new engines. Extends oil life by at least 50%. Use it in any manual transmission or differential to stop wear, leaks, heat, noise and hard shifting. Safely blends with petroleum products, even synthetics.

1 Quart Order No: A 10001
1 Gallon Order No: A 10002



UPPER CYLINDER LUBRICANT & INJECTOR CLEANER (Fuel Treatment)

Formulated for gasoline, diesel and LPG engines. It contains no harmful solvents or alcohol. 1 qt.

Order No: A 10003



HYDRAULIC OIL BOOSTER & STOP LEAK

Renews worn fluids, removes varnish from wet brakes and clutches to stop slip and lowers operating temps. Does not contain harmful solvents. 1 qt.

Order No: 10019



RED "N" TACKY

Smooth, tacky, red lithium 12-HO grease fortified with a high degree of extreme pressure additives. Stays in U-Joints and resists wash-out, making it the perfect truck grease. 14.0 fl oz.

Order No: HA10005



FUEL STABILIZER

Prevents fuel degradation during storage that causes gum and varnish deposits. Cleans, lubricates and maintains fuel pumps, carburetors, fuel injectors and compression rings. Used in all grades of gasoline and in all two and four cylce engines. One fluid ounce treats one gallon of gasoline.

8 oz. A 10314
32 oz. A 10303



CONTACT CLEANER

Unique blend of solvents, cleaning agents and propellants designed to remove oil, dirt and moisture from contact points in small electrical equipment, controls, ignition systems, motors, relays and thermostats. Non-chlorinated, CFC free VOC compliant formula dries quickly and leaves no residue. Aerosol.

A 10799



SAFGUARD™ ETHANOL FUEL CONDITIONER & STABILIZER

Specifically formulated for ethanol based fuels. This applies to E-10, E-15, E-85, pure ethanol and mixtures in between, including gasoline. Completely soluble in all ethanol fuels and will not harm filters. Prevents rust and corrosion associated with the use of ethanol fuels. 1 oz per 5 gallons.

5.25 oz. A 10670
16 oz. A 10576



*2 Year Pump Warranty!
*Pump Is Made In USA!

A 668620/A 668630

A 668635

SPOT SPRAYERS

12V Pump with handgun. 17' EPDM hose.

Size	GPM	Order No.	Price
15 Gallon	1.0	A 668620	
15 Gallon	2.0	A 668630*	
25 Gallon	2.0	A 668635*	

2 Year Pump Warranty!
Pump Is Made In USA!



12V ON DEMAND REPLACEMENT PUMP

2.0 GPM

Order No. A 668580



A 668645

A 668650

ATV SPRAYERS

25 Gallon 2 Nozzle Boomless sprayer with 12V pump and deluxe handgun. Spray width 17' - 22'. 3.6 gpm. Folding bracket for easy storage.

Order No. A 668645

25 Gallon 3 Nozzle boom sprayer with 12V pump and deluxe handgun. Spray Width 10'. 2.0 gpm.

Order No. A 668650



*2 Year Pump Warranty!
*Pump Is Made In USA!

A 668640

A 668655

TRAILER SPRAYERS

25 Gallon 2 Nozzle Boom sprayer with 12V pump and light handgun. 17' EPDM hose, 13" pneumatic tires. Spray width 7'. 2.0 gpm.

Order No. A 668640

60 Gallon 5 Nozzle Spring Action Boom with 12V pump and deluxe handgun. 25' EPDM with hose tree, 4 bolt pneumatic (DOT rated) tires. Spray width 16'. 3.6 gpm

Order No. A 668655



LIGHT HANDGUN

Adjustable nozzle tip. Locking trigger mechanism to reduce hand fatigue.

Order No. A 668555



DELUXE HANDGUN

Adjustable nozzle brass tip. "D" style.

Order No. A 668550



2 NOZZLE BOOM KIT

7' Coverage. TF VP3 spray tips with screens. Includes boom manifold. For use on spot sprayers with 1.8 gpm or larger pumps.

Order No. A 668570



LEVER ACTION BUCKET PUMP

Ideal for transferring Motor Oil, Transmission Fluid, Differential Fluid and other Automotive Additives

- Portable - Clamps to any 25-50 lb. / 5 Gallon (20 l) Pail
- All Steel Pump. 1-1/2" (40 mm) Inlet & 1/2" (12 mm) Outlet
- Heavy-duty, LuCast™, Cast-Alloy Head
- Self Priming. Delivers 1 Quart (0.95 l) / 32 fl. oz. (910 g) per 12 Strokes
- Unit Includes : 18" (45 cm) long by 1-1/2" (40 mm) diameter Suction Tube with Rust Resistant 12" (30 cm) Ribbed Cover Assembly with adjusting screws.

Order No. A 1161300



HEAVY DUTY ROTARY BARREL PUMP

Precision Engineered, Heavy Duty Aluminum Die Cast Body Pump for transferring Non-corrosive Petroleum based fluids of Light to Medium Viscosity.

- Fits 15-55 Gal. Drums with Standard 2" Bung Opening
- Comes with Adjustable 2" (50 mm) Bung Bushing and with 39" (1 m) Flexible, Oil-resistant Discharge Hose
- Discharge Capacity : 1 Gallon (3.8 l) per 12 Revolutions

Order No. A 1161320



HEAVY DUTY LEVER ACTION BUCKET PUMP

Fast transfer of Heating Oil, Motor Oil, Transmission Fluid, Automotive Additives, Oils (Light and Heavy), Soaps, etc.

- Fits 15-55 Gallon Drums
- Heavy-duty, LuCast™ Cast-Alloy Head with Heavier and Reinforced Wall Thickness for added Strength
- Self-Priming
- Equipped with 1-1/2" (40 mm) and 2" (50 mm) Bung Bushing and 34" (86 cm) Self-adjusting Zinc Plated, Telescopic Suction Tube for pumping contents from 15 to 55 gallon (57-210 l) drums
- Removable Metal Spout is threaded to fit all Garden Hoses

Order No. A 226977

HYDRAULIC HOSE ASSEMBLIES



PSI Ratings

1/4"	2500 PSI
3/8"	4000 PSI
1/2"	3500 PSI

- 2 Wire Equivalent
- Male fittings on both ends.
- Neoprene cover is oil and weather resistant.

**NEW
Lower Price!**

Length	1/4" Hose Assembly		3/8" Hose Assembly		1/2" Hose Assembly	
	Order No.	Price	Order No.	Price	Order No.	Price
12"	A 1021005		A 1020502		A 1020650	
18"	A 1021013				A 1020668	
24"	A 1021021		A 523282		A 523381	
30"	A 1021039				H58-0115	
3'	A 1021047		A 523290		A 523399	
4'	A 1021054		A 523308		A 523407	
5'	A 1021062		A 523316		A 523415	
6'			A 523324		H58-0135	
7'			A 523332		A 523431	
8'			A 523340		A 523449	
9'					A 523456	
10'			A 523365		A 523464	
12'					A 523472	
13'					A 1020684	
15'					A 1020692	

BULK HYDRAULIC HOSE

Made In The USA

Compatible with Parker, Dayco and Gates fittings.
Not compatible with Weatherhead

- Oil and Weather Resistant
- -40° F TO +212° F Temperature Range

Firescreen II Formerly Farmex II Type at 100R16

- 2 Wire Equivalent

ID	Feet Per Reel	Operating Pressure	Burst Pressure	Order Number	Price
1/4"	300 FT.	5000 PSI	20,000 PSI	H58-0800	
3/8"	250 FT.	4000 PSI	16,000 PSI	H58-0802	
1/2"	250 FT.	3500 PSI	14,000 PSI	H58-0804	
3/4"	250 FT.	2250 PSI	9,000 PSI	H58-0806	

Dayco Type at 100R2

- 2 High Tensile Wire Braids

ID	Feet Per Reel	Operating Pressure	Burst Pressure	Order Number	Price
1/4"	300 FT.	5000 PSI	20,000 PSI	H58-0710	
3/8"	300 FT.	4000 PSI	16,000 PSI	H58-0712	
1/2"	250 FT.	3500 PSI	14,000 PSI	H58-0714	
3/4"	225 FT.	2250 PSI	9,000 PSI	H58-0716	
1"	100 FT.	2000 PSI	8,000 PSI	H58-0718	

HOSE CLAMPS

10 Per Box

Buy \$100 or more of Hose Clamps and Receive A **FREE** Display Rack.

PN: A302000



Size	Order No.	Price	Size	Order No.	Price
5/16" to 5/8"	A 302006		1-1/16" to 2"	A 302024	
1/2" to 29/32"	A 302008		1-5/16" to 2-1/4"	A 302028	
9/16" to 1-1/16"	A 302010		1-9/16" to 2-1/2"	A 302032	
9/16" to 1-1/4"	A 302012		1-13/16" to 2-3/4"	A 302036	
11/16" to 1-1/2"	A 302016		2-1/8" to 5"	A 302072	
3/4" to 1-3/4"	A 302020				

TIMKEN BEARING SETS

Order Number	Description	Price
SET14	L44643/L44610	
SET2	LM11949/LM11910	
SET5	LM48548/LM48510	
SET6	LM67048/LM67010	



MAXIM HYDRAULIC TIE-ROD CYLINDERS

- Hard Chrome Plated Rod
- Ductile Iron Piston & Gland
- SAE O-Ring Ports
- High Strength Clevis Mounting
- 3000 PSI Working Pressure



Bore	Stroke	Retracted Length	Extended Length	Rod Dia.	SAE Port Size	Pin Dia.	Order No.	Price
2"	8"	20.25"	28.25"	1-1/8"	8	1"	C95-0305	
2-1/2"	8"	20.25"	28.25"	1-1/8"	8	1"	C95-0310	
3"	8"	20.25"	28.25"	1-1/4"	8	1"	C95-0315	
3-1/2"	8"	20.25"	28.25"	1-1/2"	8	1"	C95-0320	
4"	8"	20.25"	28.25"	1-1/2"	8	1"	C95-0325	

DELAVAN HYDRAULIC TIE-ROD CYLINDERS

- Chromed, polished & individually heat-treated shaft provides extended cylinder life.
- All cylinders are 100% hydraulically tested up to two times working pressure.
- Working pressure 2500 psi.



Bore	Stroke	Retracted Length	Extended Length	Rod Dia.	Port Size	Pin Dia.	Order No.	Price
2"	8"	20-1/4"	28-1/4"	1-1/8"	3/8"	1"	C95-2008	
2-1/2"	8"	20-1/4"	28-1/4"	1-1/8"	3/8"	1"	C95-2508	
3"	8"	20-1/4"	28-1/4"	1-1/4"	1/2"	1"	C95-3008	
3"	10"	20-1/4"	30-1/4"	1-1/4"	1/2"	1"	C95-3010	
3"	16"	31-1/2"	47-1/2"	1-1/2"	1/2"	1-1/4"	C95-3016	
3.5"	8"	20-1/4"	28-1/4"	1-1/4"	1/2"	1"	C95-3508	
4"	8"	20-1/4"	28-1/4"	1-1/4"	1/2"	1"	C95-4008	
4"	16"	31-1/2"	47-1/2"	1-1/4"	1/2"	1"	C95-4016	

CLEVIS PIN FOR HYDRAULIC CYLINDERS

O.D.	Usable Length	Order No.	Price
1"	3-1/4"	A 731034	
1"	3-1/2"	A 731032	



FLUSH-FACE QUICK COUPLINGS FOR SKID STEERS AND ATTACHMENTS

Order Number	Description	Thread Size	Replaces	Price
F34-0301	Female O-Ring Boss	7/8-14 UNF	FEM-501-10FO-NL	
F34-0302	Female O-Ring Boss	7/8-14 UNF	FEM-502-10FO	
F34-0303	Female O-Ring Boss	1-1/16-12 UNF	FEM-501-12FO-NL	
F34-0304	Female O-Ring Boss	1-1/16-12 UNF	FEM-502-12FO	
F34-0305	Female Pipe	1/2-14 NPSF	FEM-501-8FP-NL	
F34-0306	Female Pipe	1/2-14 NPSF	FEM-502-8FP	



PIONEER TIPS AND COUPLINGS

Save Money. Buy In Bulk!

MALE TIPS

1/2" thread size.

Replaces	Pkg Qty	Order Number	Price
8010-4	10	F34-0195	
8010-4	Bulk	F34-0195B	
8010-4P	10	F34-0203	
8010-4P	Bulk	F34-0203B	



COMPLETE COUPLER

1/2" thread size. Replaces 4000-4. (Packaged 5/box.)

Order Number	Price
C59-0025	



CHIEF HYDRAULIC MOTORS

- 1" diameter woodruff keyed cylindrical shaft.
- For light and medium duty applications.
- Dual rotation.
- 4-bolt mounting flange.
- 1/2" NPTF port.


*Replacement for Char-Lynn "H" Series.

CU. IN. Displacement	Max RPM	Torque	PSI	Order No.	Price
4.75	740	1140	1840	A 1263714	
5.90	590	1425	1840	A 1263722	
9.50	370	2170	1840	A 1263730	
11.60	295	2530	1625	A 1263748	
14.10	240	3185	1625	A 1263755	
19.00	190	3575	1625	A 1263763	
23.60	150	3850	1450	A 1263771	



WEASLER COMPLETE UNIVERSAL PTO DRIVESHAFTS

- Original equipment quality!
- Interchanges with Bondioli
- Lengths are measured in overall length




Description	PTO Size Series	Min Length	Max Length	1-3/8" Tractor End	1-3/8" Implement End	Order Number	Price
MOWERS							
Rotary Cutters							
4'-5' Cross Pin	Series IV	37.01"	51.57"	Z6-QD Pin	Round Smooth Bore with Bolt	14006436	
Light Duty w/Clutch 4'-6'	Series IV	37.72"	51.50"	Z6-QD Pin	Z6-Friction Clutch 2 Discs w/ Bolt	14106438	
Med Duty 5'-7'	Series IV	51.02"	65.20"	Z6-QD Pin	Round Smooth Bore with Bolt	14006451	
Heavy Duty Pull Type 5'-7'	Series VI	62.87"	91.61"	Z6-QD Pin	Z6-Friction Clutch 4 Discs w/ Bolt	14106654	
Drum Mower / Disc Mower 5'-7' Discs	Series V	38.58"	51.97"	Z6-Twist Collar	Z6-QD Pin Torque Limiter	H14306538	
POSTHOLE DIGGERS							
Posthole Digger Cross Pin	Series IV	49.45"	72.28"	Z6-QD Pin	1-1/4" Smooth Round Bore	14006252	
TILLERS							
Tiller Light Duty with Clutch	Series IV	37.72"	51.50"	Z6-QD Pin	Z6-Friction Clutch 2 Discs with Bolt	14106438	
Tiller Heavy Duty with Clutch	Series V	33.35"	43.58"	Z6-QD Pin	Z6-Friction Clutch 2 Discs with Bolt	14106546	

ROLLER CHAIN

Imported

- Single Width
- High Quality



10' Rolls

Size	Order No.	Price
40	C30-3085	
50	C30-3095	
60	C30-3100	
60H	C30-3150	
80	C30-3105	

50' Rolls

Size	Order No.	Price
40	C30-3115	
50	C30-3120	
60	C30-3125	
80	C30-3124	



LOWER RADIATOR HOSE HEATERS

Efficient engine heating from permanent steel design. Thermostatically controlled to ensure optimum temperature. Easy to install. Not for use on flexible wire reinforced hose. Radiator clamps, 44" power cord and installation instructions included.

Hose I.D.	Watts	Order No.	Price
1-1/4" hose	375	1050848	
1-1/2" hose	600	A 1050855	
1-3/4" hose	600	1050863	
2" hose	600	A 1050871	



PIN - LOCK

- Diameter: 5/16"
- Head: 5/8"
- Length: 2-7/16"
- Replaces 516PTL

Order No. P34-0240

SEALED BALL BEARINGS - AEL OR RA SERIES



B15-2010D

- Prelubricated
- Spherical
- Eccentric Locking Cam
- Extended Inner Race One Side
- Individually Packaged

Order Number	Replaces Number	Fafnir Number	Series	Shaft Size	Outside Diameter	Price
B15-2009D	UEL201-008		40	1/2"	1.5748"	
B15-2010D	AEL202-010	RA010NPPB	40	5/8"	1.5748"	
B15-2012D	AEL204-012	RA012NPPB	47	3/4"	1.8504"	
B15-2014D	AEL205-014	RA014NPPB	52	7/8"	2.0472"	
B15-2016D	UEL205-015		52	.9375"	2.0472"	
B15-2100D	AEL205-100	RA100NPPB	52	1"	2.0472"	
B15-2102D	AEL206-102	RA102NPPB	62	1-1/8"	2.4409"	
B15-2203D	AEL206-104	RA103NBBP-2	62	1-1/4" (Light)	2.4409"	
B15-2104D	AEL207-104*	RA104NPPB	72	1-1/4"	2.8346"	
B15-2106D	AEL207-106	RA106NPPB	72	1-3/8"	2.8346"	
B15-2107D	AEL207-107	RA107NPPB	72	1-7/16"	2.8346"	
B15-2108D	AEL208-108	RA108NPPB	80	1-1/2"	3.1496"	
B15-2109D	UEL208-025		80	1.5625"	3.1496"	
B15-2110D	UEL209-026		85	1.625"	3.3465"	
B15-2112D	AEL209-112	RA112NPPB	85	1-3/4"	3.3464"	
B15-2114D	UEL210-030		90	1.875"	3.5433"	
B15-2115D	UEL210-031		90	1.9375"	3.5433"	
B15-2116D	UEL210-032		90	2"	3.5433"	
B15-2117D	UEL211-034		100	2.125"	3.937"	
B15-2118D	UEL211-035		100	2.1875"	3.937"	

REGREASEABLE BALL BEARINGS - UEL OR G SERIES



B15-1012D

- Regreaseable
- Spherical
- Eccentric Locking Cam
- Extended Inner Race One Side
- Individually Packaged


Order Number	Replaces Number	Fafnir Number	Series	Shaft Size	Outside Diameter	Price
B15-1009D	AEL201-008		47	1/2"	1.8504"	
B15-1010D	AEL202-010		47	5/8"	1.8504"	
B15-1012D	UEL204-012D1	G1012KRRB	47	3/4"	1.8504"	
B15-1014D	UEL205-014D1	G1014KRRB	52	7/8"	2.0472"	
B15-1016D	AEL205-015		52	.93"	2.0472"	
B15-1100D	UEL205-100D1	G1100KRRB	52	1"	2.0472"	
B15-1102D	UEL206-102D1	G1102KRRB	62	1-1/8"	2.4409"	
B15-1103D	UEL206-103D1	G1103KRRB	62	1-3/16"	2.4409"	
B15-1104D	UEL206-104D1	G1103KRRB-3	62	1-1/4"	2.4409"	
B15-1203D	UEL207-104D1	G1104KRRB	72	1-1/4"	2.8346"	
B15-1106D	UEL207-106D1	G1106KRRB	72	1-3/8"	2.8346"	
B15-1107D	UEL207-107D1	G1107KRRB	72	1-7/16"	2.8346"	
B15-1108D	UEL208-108D1	G1108KRRB	80	1-1/2"	3.1496"	
B15-1109D	UEL208-109D1	G1109KRRB	80	1-9/16"	3.1496"	
B15-1110D	UEL209-110D1	G1110KRRB	85	1-5/8"	3.3465"	
B15-1112D	UEL209-112D1	G1112KRRB	85	1-3/4"	3.3465"	
B15-1114D	AEL210-030		90	1.875"	3.5433"	
B15-1115D	UEL210-115D1	G1115KRRB	90	1-15/16"	3.5433"	
B15-1116D	AEL210-032		90	2"	3.5433"	
B15-1117D	AEL211-034		100	2.125"	3.937"	
B15-1118D	AEL211-035		100	2.187"	3.937"	
B15-1119D	AEL212-036		110	2.25"	4.3307"	
B15-1120D	AEL212-038		110	2.375"	4.3307"	
B15-1121D	AEL212-039		110	2.4375"	4.3307"	
B15-1122D	AEL213-040		120	2.5"	4.7244"	
B15-1123D	AEL214-044		125	2.75"	4.9213"	

NEW LOWER PRICES ON HITCH PARTS!

LIFT ARM/TOP LINK REPLACEMENT BALLS




A = Pin Hole Size
B = Length Thru Bore
C = Sleeve Width




Type	Cat.	A	B	C	Order No.	Price
Lift Arm	1	7/8"	1-3/8"	2-1/4"	B05-0100B	
Lift Arm	2	1-1/8"	1-3/4"	2"	A70-0246B	
JD & Oliver Claw Type						
Top Link	2	1"	1-3/4"	2"	B05-0080B	
Ford Lift Arm	2	1-1/8"	1-3/4"	2"	B05-0090B	

LIFT ARM WELD-ON END



Cat.	A	B	C	D	E	F	Order No.	Price
1	2-3/4"	7/8"	2-3/8"	2-5/8"	5/8"	1-3/8"	L35-0160	
2	3-1/8"	1-1/8"	2-3/4"	3-1/8"	3/4"	1-3/4"	L35-0162	

TOP LINK WELD ON END



Cat.	A	B	C	D	E	F	Order No.	Price
1	2"	3/4"	1-1/8"	2-1/4"	1/2"	1-3/4"	L35-0127	
2	2-3/8"	1"	1-1/8"	2-5/8"	1/2"	2"	L35-0128	



TWISTED CLEVIS

Pin Diam.	Body Diam.	Usable Length	Max WWI*	Order Number	Price
5/8"	3/4"	3-1/2"	12000	C44-0080	
3/4"	7/8"	3-7/8"	20000	C44-0090	
1"	1"	5"	25000	C44-0110	



STRAIGHT CLEVIS

Pin Diam.	Body Diam.	Usable Length	Max WWI*	Order Number	Price
3/4"	15/16"	4-1/4"	16000	C44-0050	
1"	1"	5-5/16"	25000	C44-0070	



GENERAL PURPOSE CLEVIS

Pin Diam.	Body Diam.	Usable Length	Max WWI*	Order Number	Price
7/16"	3/8"	1-1/4"	2000	C44-0010	
3/4"	3/4"	6-3/16"	10000	A 130716	


Max WWI - Maximum Working Weight



LOCKING LYNCH PINS

Description	Pkg Qty	Diam.	Order No.	Price
Locking lynch pin, plain.	100	1/4"	P34-0265	
	5		P34-0185B	
Forged lynch pin with snap-lock ring.	100	7/16"	P34-0267	
	5		P34-0180B	
Heavy duty lynch pin with black snap-lock ring.	5	7/16"	P34-0190B	
Lynch Pin with chain and cotter pin.	5	7/16"	P34-0269	

COLD FORGED HITCH PINS



Pin Dia.	Usable Length	Order No.	Price
1/2"	3-1/2"	A 693051	
5/8"	4-1/4"	A 757039	
3/4"	4-1/4"	A 112151	
7/8"	6-1/4"	A 688572	


HOT FORGED HITCH PINS



Pin Dia.	Usable Length	Order No.	Price
7/16"	3-1/2"	P34-0051	
1/2"	3-1/2"	P34-0055	
5/8"	3-3/4"	P34-0060	
5/8"	6"	P34-0080	
3/4"	4"	P34-0065	
3/4"	6-1/4"	P34-0085	
7/8"	4-1/4"	P34-0070	
7/8"	6-1/2"	P34-0090	
1"	4-1/2"	P34-0075	
1"	6-3/4"	P34-0095	
1-1/8"	7"	P34-0100	
1-1/4"	7"	P34-0105	

RED HEAD FORGED HITCH PINS

Pin with plastisol coated pull ring and hairpin.



Pin Dia.	Usable Length	Order No.	Price
1/2"	3-5/8"	A 908111	
5/8"	5-1/2"	A 908145	
3/4"	6-1/2"	A 757047	
7/8"	6-1/2"	A 757054	

HAIR PINS



Wire Dia.	Overall Length	Fits Pin Dia.	Pkg.	Order No.	Price
3/32"	1-3/4"	3/8" to 5/8"	12	P34-0220B	
1/8"	2-1/16"	1/2" to 7/8"	8	P34-0210B	
3/16"	3-3/4"	3/4" to 1-1/4"	5	P34-0215B	
1/4"	4-1/4"	7/8" to 1-1/2"	2	P34-0205B	
5/16"	3-15/16"	3/4" to 1-1/4"	2	P34-0230B	
5/32"	2-15/16"	5/8" to 1"	7	P34-0225B	

SAFETY PINS



Pin Dia.	Usable Length	Order No.	Price
1/2"	4"	A 842302	
5/8"	4-1/4"	A 669499	
3/4"	4-1/4"	A 669507	
7/8"	6"	A 842245	




TURNBUCKLE JACK

Replaces hydraulic cylinders or screw jacks in uses where infrequent adjustments are needed. All steel. 1-1/4" diameter clevis pin. 20" closed, 28" open.

Description	Order No.	Price
1-1/4" NC threads	J01-0270	

NEW LOWER PRICES ON HITCH PARTS!

DRAWBARS



* Heat Treated

end view

Cat.	Holes	A	B	C	D	E	Order No.	Price
0	7	20"	5/8"	5/8"	5/8"	2"	B06-0418	
0	7	20"	3/4"	7/8"	1"	2-1/2"	B06-0062	
1	11	26"	3/4"	7/8"	1"	2-1/2"	A 882837	
1	11	26"	3/4"	7/8"	1-1/8"	2-1/2"	B06-0080*	
2	11	26"	3/4"	1-1/8"	1-1/4"	3"	A 882852	
2	11	26"	3/4"	1-1/8"	1-1/8"	3"	B06-0090*	
2	13	32"	3/4"	1-1/8"	1-1/4"	3"	B06-0100*	

FORGED TOP LINKS

All Top Links Include Handles.



Cat.	Pin Hole Size	Thread Diam.	Body Length	Closed Length	Open Length	Order No.	Price
0	5/8"	3/4" NC	7-1/2"	11"	16"	L35-0130	
1	3/4"	1-1/8" NC	13-1/4"	18"	28"	L35-0189	
1	3/4"	1-1/8" NC	17	20-1/2"	29	A 825836	
1	3/4"	1-1/8" NC	20"	25"	35"	L35-0176	
1	3/4"	1-1/8" NC	24"	29"	39"	L35-0177	
1 & 2	3/4", 1"	1-1/8" NC	16"	21"	32"	L35-0178	
2	1"	1-1/4" NC	16"	23"	32"	L35-0132	
2	1"	1-1/8" NC	20"	24"	36"	A 825847	
2	1"	1-1/8" NC	24"	29"	41"	L35-0182	
2	1"	1-1/4" NC	20"	27"	37"	L35-0183	
2	1"	1-1/8" NC	16"	21"	31"	L35-0016	
3	1-1/4"	1-3/8" NC	19-1/2"	25-1/2"	37"	L35-0133	

FORGED LIFT ARMS



Fits Ford 600, 700, 800, 900, 2000, 4000 4-cylinder; 2000, 3000, 3610 3-cylinder.
Replaces DONN555C, DONN555D.

Side	Order No.	Price
Left Hand	A 825852	
Right Hand	A 825853	

Fits category 1. All Ferguson models, Ford 2N, 8N, 9N, NAA, John Deere 1010.
Massey Ferguson 35, 50, Oliver 550. 7/8" pin holes. 31-3/4" ball centers.

Side	Order No.	Price
Left or Right Hand	A70-0331	



UNIVERSAL LEVELING ARM

Body is high strength tubing. Thread size: 7/8" NF. May be used right or left. Not OEM style.

Order No. A 882738



STABILIZER ARM

Heavy duty adjustable forged. Fits all Ferguson models, Ford 8N, 2N, 9N, NAA, 600, Massey Ferguson 35, 50, 175, 65, 135, 150, 165, 180. 28-1/2" to 36". 7/8" pin holes.

Order No. A70-0158

LOWER LINK PINS



Cat	Style	Pin Diam.	Usable Length	Overall Length	Thread Diam.	Order No.	Price
0	Adj.	5/8"	1-1/4"	4"	5/8"	P34-0200	
1	Adj.	7/8"	1-5/8"	5"	7/8" NF	P34-0046	
1	Fixed	7/8"	1-3/4"	5-1/2"	7/8" NF	P34-0165	
1	Adj.	7/8"	2"	6-3/16"	7/8" NF	P34-0195	
1	Fixed	7/8"	2-1/4"	6-5/8"	7/8" NF	P34-0203	
1 to 2	Adj.	1-1/8"	1-3/4"	5-1/8"	7/8" NF	P34-0115	
1 to 2	Fixed	1-1/8"	2-1/4"	5-7/8"	7/8" NF	P34-0120	
2	Adj.	1-1/8"	1-3/4"	6-1/4"	1-1/8"	P34-0170	
2 to 1	Fixed	1-1/8" - 7/8"	2-1/4"	6-1/8"	1-1/8" NF	P34-0202	
2	Roll Pin	1-1/8"	4-1/8"	5-3/4"	-	P34-0291	
2	Roll Pin	1-1/8"	5"	6-3/4"	-	P34-0292	
2	Roll Pin	1-1/8"	6-1/8"	7-3/4"	-	P34-0293	
2	Roll Pin	1-1/8"	7-1/2"	9"	-	P34-0294	

TOP LINK PINS

Pin Cat.	Diam.	Usable Length	Overall Length	Order No.	Price
0	5/8"	2-3/4"	4-7/16"	P34-0160	
1	3/4"	3"	4-7/16"	P34-0130	
1	3/4"	4-1/8"	5-7/16"	P34-0135	
1	3/4"	5"	6-7/16"	P34-0145	
2	1"	3-1/8"	4-3/4"	P34-0015	
2	1"	3-13/16"	5-21/64"	P34-0140	
2	1"	4-3/8"	6"	P34-0025	
2	1"	5-1/2"	7-1/4"	P34-0027	

TOPLINK & LIFT ARM BUSHINGS

Type	Fits Pin Cat.	Fits Arm Cat.	O.D.	I.D.	Length	Order Number	Price
Lift Arm	0	1	7/8"	5/8"	1-3/8"	B82-0828B	
Lift Arm	1	2	1-1/8"	7/8"	1-3/8"	B82-0290B	
Lift Arm	1	2	1-1/8"	7/8"	1-3/4"	B82-0210B	
Lift Arm	2	3	1-7/16"	1-1/8"	2-3/4"	B82-0270B	
Lift Arm	2	3	1-7/16"	1-1/8"	3-1/4"	B82-0280B	
Top Link	0	1	3/4"	5/8"	1-5/8"	B82-0829B	
Top Link	1	2	1"	3/4"	2"	B82-0230B	
Top Link	2	3	1-1/4"	1"	2"	B82-0240B	

STABILIZER BAR

Right or left. Category 1. 31-916" long. Fits Ford 8N, 2N, 9N.

Order No. A 899864

STABILIZER PIN

7/8" diameter. 2-5/8" long, 5/8" diameter thread.

Order No. P34-0235B